

## Australian Alpine Research Bibliography

Compiled by Ken Green for the Australian Institute of Alpine Studies  
([www.aias.org.au](http://www.aias.org.au)) for additions to this list please email  
[alpine.Australia@gmail.com](mailto:alpine.Australia@gmail.com)

---

Alexander, J.M., Kueffer, C., Daehler, C.C., Edwards, P.J., Pauchard, A., Seipel, T., Arevalo, J.R., Cavieres, L., Dietz, H., Jakobs, G., McDougall, K.L., Naylor, B.J., Otto, R., Parks, C.G., Rew, L., Walsh, N.G. (2011) Assembly of non-native floras along elevational gradients explained by directional ecological filtering. *Proceedings of the National Academy of Sciences* 108, 656-661.

Argue, D. (1995) Aboriginal occupation of the Southern Highlands: Was it seasonal? *Australian Archaeology* 41, 30-36

Argue, D., Hope, G.S., and Saunders, P. (2001) Digging stick site, Namadgi National Park, A.C.T. *Australian Archaeology* 53, 41-42.

Ashton, H. (1924) Notes on the Hairy Cicada (*Tettigarcta crinita*) *Proceedings of the Royal Society of Victoria* 36, 238-239.

Ashton, D. H. and Hargreaves, G. R. (1993) Dynamics of subalpine vegetation at Echo Flat, Lake Mountain, Victoria. *Australian Journal of Ecology* 12, 35-60.

Ashton, D.M. and Williams, R.J. (1989) Dynamics of the sub-alpine vegetation in the Victorian region. pp. 143-168 In: R.B. Good (ed.) *The scientific significance of the Australian Alps*, Australian Alps Liaison Committee, Canberra.

Balzer L. (1981) The effects of the introduced honeybee *Apis mellifera* on native bees B.Sc. Hons. thesis. University of Sydney.

Banks J.C.G. (1989) A history of forest fire in the Australian Alps. pp. 265-280 In: R.B. Good (ed.) *The scientific significance of the Australian Alps*, Australian Alps Liaison Committee, Canberra.

Banks, J. (1982) The dynamics of the snow gum (*Eucalyptus pauciflora*). Ph. D. Thesis. Australian National University, Canberra.

Barker, S. (1988) Population structure of snow gum (*Eucalyptus pauciflora* Sieb. Ex Spreng.) subalpine woodland in Kosciusko National Park. *Australian Journal of Botany* 36, 483-501.

Barrows, T.T., Stone, J.O., Fifield, L.K. and Creswell, R.G. (2001) Late Pleistocene glaciation of the Kosciuszko Massif, Snowy Mountains, Australia. *Quaternary Research* 55, 179-189.

Barrows, T.T., Stone J.O. and Fifield, L.K. (2004) Exposure ages for Pleistocene periglacial deposits in Australia. *Quaternary Science Reviews* 23, 697–708.

Barrows, T.T., Stone, J.O., Fifield, L.K. and Creswell, R.G. (2002) The timing of the Last Glacial Maximum in Australia. *Quaternary Science Reviews* 21, 159-173.

Bayly 1.A.E. (1976) A note on the zooplankton of the Mount Kosciusko region. *Australian Society for Limnology Bulletin* 3, 25-28.

Bear, R. and Pickering, C.M. (2006). Recovery of subalpine grassland from bushfire. *Australian Journal of Botany* 54, 451-458.

Bear, R., Hill, W. and Pickering, C.M. (2006) Distribution and diversity of exotic plant species in montane to alpine areas of Kosciuszko National Park. *Cunninghamia*. 9, 559-570.

Beesley P. (1980) Some aspects of the thermal biology of *Leiopisma entrecasteauxii* from a cold temperate environment. Honours thesis, Department of Zoology, Australian National University, Canberra.

Benham W.B. (1907) On the Oligochaeta from the Blue Lake, Mount Kosciusko. *Records of the Australian Museum* 6, 251-264.

Beniston, M., Fox, D.G., Adhikary, S., Andressen, R., Guisan, A., Holten, J.I., Innes, J., Maitima, J. Price, M.F., Tessier, L., Barry, R., Bonnard, C., David, F., Graumlich, L., Halpin, P., Henttonen, H., Holtmeir, F-K., Jaerviven, A., Jonasson, S., Kittel, T., Kloetzli, F., Korner, C., Krauchi, N., Molau, U., Musselman, R., Ottersen, P., Peterson, D., Saelthun, N., Xuemei Shao, Skre, O., Solomina, O., Spichiger, R., Sulzman, E., Thimon, M. and Williams, R.J. (1996) Impacts of climate change on mountain regions. In: 'Climate Change 1995. Impacts, Adaptations and Mitigation of Climate Change: Scientific -Technical Analyses.' Inter-Governmental Panel on Climate Change, Cambridge University Press, Cambridge. pp 191-213.

Bennett A.F and Adler H.J. (1986) Thermal relations of some Australian skinks (Sauria:Scincidae). *Copeia* 57-64.

Bennett, S., Brereton, R. and Mansergh, I. (1992) Enhanced Greenhouse and the wildlife of south eastern Australia. Arthur Rylah Research. Institute Technical Report No. 127.

Benzie J.A.H. (1984) Zooplankton of an Australian high alpine lake, Lake Cootapatamba, Kosciusko Range. *Australian Journal of Marine and Freshwater Research* 35, 691-702.

Binder, R. M. (1978) Stratigraphy and pollen analysis of a peat deposit, Bunyip Bog, Mt Buffalo, Victoria, Monash Publications in Geography No. 19., Dept Geography Monash Univ 52pp.

Binder, R.M. and Kershaw, A. P. (1978) A late Quaternary pollen diagram from the southeastern highlands of Australia, *Search* 9, 44-45.

Bishop, P. (1988) The eastern highlands of Australia: the evolution of an intraplate highland belt, *Progress in Physical Geography* 12, 159-182.

Bowler, J. M., Hope, G. S., Jennings, J. N., Singh, G., and Walker, D. (1976) Late Quaternary climates of Australia and New Guinea, *Quaternary Research* 6, 359-394.

Brereton R., Bennett S. and Mansergh I. (1995) Enhanced greenhouse climate change and its potential effect on selected fauna of southeastern Australia: a trend analysis *Biological Conservation*. 72, 339-354.

Bridle K.L. (1994) Organic Soils on Mt Sprent, South West Tasmania: an analysis of correlations with local climate, microtopography and vegetation. Masters of Environmental Studies thesis, University of Tasmania.

Bridle, K.L. and Kirkpatrick, J.B. (1997) Local environmental correlated of variability in the organic soils of moorland and alpine vegetation, Mt Sprent, Tasmania. *Australian Journal of Ecology* 22, 196-205.

Bridle K.L. and Kirkpatrick J.B. (1998) Why do tall herbs rarely dominate Tasmanian alpine vegetation? Evidence from islands in the Ouse River system. *Papers and Proceedings of the Royal Society of Tasmania* 132, 9-14.

Bridle, K.L. & Kirkpatrick, J.B. (1999) The comparative effects of stock and wild vertebrate grazing on treeless subalpine vegetation, eastern Central Plateau, Tasmania. *Australian Journal of Botany* 47, 817-834.

Bridle, K.L. and Kirkpatrick, J.B. (2005) An analysis of the breakdown of paper products (toilet paper, tissues and tampons) in natural environments, Tasmania, Australia. *Journal of Environmental Management* 74, 21-30.

Bridle, K.L. and Kirkpatrick, J.B. (2001) Impacts of grazing by vertebrate herbivores on the flower stem production of tall alpine herbs, Eastern Central Plateau, Tasmania. *Australian Journal of Botany* 49, 459-470.

Bridle, K.L. and Kirkpatrick, J.B. (2003) The impacts of nutrient addition and digging for waste disposal on natural environments, Tasmania, Australia. *Journal of Environmental Management* 69, 299-306.

Bridle, K.L., Kirkpatrick, J.B., Cullen, P. and Shepherd, R.R. (2001) Recovery in alpine heath and grassland following burning and grazing, eastern Central Plateau, Tasmania. *Arctic, Antarctic and Alpine Research*, 33, 348-356.

Britain J.E. (1997) Egg development in *Thaumatoperla*, an endangered stonefly genus, endemic to the Australian Alps (Plecoptera: Eustheniidae). pp 30-33 In: P. Landolt and M. Sartori (eds.) *Ephemeroptera and Plecoptera: Biology-Ecology-Systematics*. MTL Fribourg.

Broome L. and Ford F. (2005) Post fire recovery of mountain pygmy-possums and smoky mouse in Kosciuszko National Park. pp 31-38 In: T. Macdonald (ed.) *Fire Biodiversity in the Australian Alps National Parks, Workshop Proceedings*, Australian Alps Liaison Committee, Albury.

Broome L., Dawson M., Ford F., Green K., Little D. and McElhinney N. (2005) Re-assessment of mountain pygmy-possum *Burrhamys parvus* population size and distribution of habitat in Kosciuszko National Park. Unpublished report Department of Environment and Conservation, Sydney.

Broome L.S. and Mansergh I.M. (1989) The mountain pygmy possum, *Burrhamys parvus* (Broom): an alpine endemic. pp. 241-264 In: R. Good (ed.) *The Scientific Significance of the Australian Alps*. Australian Alps National Parks Liaison Committee, Canberra.

Broomhall S.D., Osborne W. S. and Cunningham R.B. (2000). Comparative effects of ambient ultraviolet-B radiation on two sympatric species of Australian frogs. *Conservation Biology* 14, 420-427.

Brown, M.J., Duncan, F., Jackson, W.D., Jarman, S.J., Kirkpatrick, J.B. & Tyson, R.G., (1982) Vascular plants of the Denison Range and Vale of Rasselas. *Tasmanian Naturalist*, 71, 1-6.

Brown M.J., Kirkpatrick J.B. and Moscal A. (1983) Conservation status of Tasmanian endemic vascular species in alpine Tasmania. *Proceedings of the Ecological Society of Australia* 12, 168–169.

Brown, C. M. (1983) Discussion: A Cainozoic history of Australia's Southeast Highlands, *Journal of the Geological Society of Australia* 30, 483-486.

Browne W.R. (1952) Our Kosciusko heritage. *Australian Journal of Science Supplement* 15, i-vii

Browne W.R. (1965) The geology of Kosciusko. *Australian Natural History* 15, 56-60.

Bruce, C., Lawrence, R.E. and Connelly, P. (1999) Vegetation regeneration in a small catchment on the Bogong High Plains, Victoria? *Proceedings and Transactions of the Royal Society of Victoria* 111, xxiii-xxviii

Bryant W. G. (1971) Deterioration of vegetation and erosion in the Guthega catchment area, Snowy Mountains, N.S.W. *Soil Conservation Journal* 27, 62-81.

Bubela T.M. (1995) Social effects of sterilising free-ranging vixens (*Vulpes vulpes* L) in subalpine Australia. Ph.D. Thesis, University of Sydney.

Bubela, T. M., Happold, D. C. .D, and Broome, L (1991) Home range and activity of the Broad-toothed Rat, *Mastacomys fuscus*, in subalpine heathland, *Wildlife Research* 18, 39-48.

Buckley, R., Pickering C.M. Castley, G. and Growcock, R. (2006). Recent recreation ecology research in Australia. Extended Abstract for Third International Conference on Monitoring and Management of Visitor Flows in Recreational and Protected Areas, Rapperswill, Switzerland, September 13-17th 2006. pp. 84-88. E1.

Buckley, R.C., Pickering, C.M. and Warnken, J. (2000). Environmental management for alpine tourism and resorts in Australia. pp. 27-46. In: Godde, P.M., Price, M.F. and Zimmerman, F.M. (eds.), *Tourism and Development in Mountain Regions*. CABI Publishing, New York.

Bugledich E. (1985) Viviparity and placentation in five species of Australian scincid lizards. Honours thesis, Department of Zoology, Australian National University, Canberra.

Burdon J. J. and Chilvers G. A. (1974) Leaf parasites on altitudinal populations of *Eucalyptus pauciflora*. Sieb. ex. Spreng. *Australian Journal of Botany* 22, 265-269.

Bureau of Mineral Resources, Geology and Geophysics (1982) Kosciusko National Park and Environs, 1:250 000 special Geological Map. Department of National Development and Energy, Canberra

Burgess, J., Gillieson, D. & Spate, A. (1988) On the thermal stratification of freshwater lakes in the Snowy Mountains, Australia, and the Larseman Hills, Antarctica, *Search* 9, 147-149.

Burrows, C. J. (1979) A chronology for cool-climate episodes in the Southern Hemisphere 12,000-1000 yr B. P., *Palaeogeography, Palaeoclimatology, Palaeoecology* 27, 287-347.

Busby J.R. (1988) Potential impacts of climate change on Australia's flora and fauna. pp 387-398 In: G.I. Pearman (ed.), *Greenhouse: planning for climate change*. CSIRO, Melbourne.

Byars, S.G., Parsons, Y.M., Hoffmann, A.A. (2009). Replicated patterns of genetic variation across elevation in the restricted but locally adapted alpine grass *Poa hiemata*. *Annals of Botany* 103: 885-899.

Byars, S.G., Hoffmann, A.A. (2009) Testing for local adaptation in the alpine forb, *Craspedia lamicola*, from southeastern Australia. *International Journal of Plant Science* 170, 906-917.

Byars, S.G., Papst, W.A., Hoffmann, A.A. (2007) Local adaptation and cogradient selection in the alpine plant, *Poa hiemata*, along a narrow altitudinal gradient. *Evolution* 61, 2925-2941

Cadwallader P.L., Eden A.K. and Hook R.A. (1980) Role of streamside vegetation as a food source for *Galaxias olidus* Gunther (Pisces : Galaxiidae). *Australian Journal of Marine and Freshwater Research* 31, 257-262.

Calaby J, Dimpel H. and Cowan I. McT. (1971) The mountain pygmy possum, *Burrhamys parvus* Broom (Marsupialia) in the Kosciusko National Park, New South Wales. CSIRO Division of Wildlife Research. Technical Paper 23, 1-11.

Calaby J. H. (1983) Mountain Pygmy-possum. pp 168-169 In: R. Strahan (ed.) *Complete Book of Australian Mammals*. Angus and Robertson, Sydney.

- Calaby J. H. and Wimbush D. (1964) Observations on the broad-toothed rat, *Mastacomys fuscus* Thomas CSIRO Wildlife Research 9, 123-133.
- Calais, S. S. and Kirkpatrick, J. B. (1986) Experimental and observational studies on the impact of trampling on natural ecosystems in the Cradle Mountain- Lake St Clair National Park. Australian Geographer 17, 6-15.
- Campbell, E. O. (1964) The Restiad peat bogs at Motumaoho and Moanatuatua. Transactions of the Royal Society of New Zealand Botany, 2, 219-227.
- Campbell I.C., McKaige M.E. and Lake P.S. (1986) The fauna of Australian high mountain streams, zoogeography and evolution. pp.83-104 In: B.A. Barlow (ed.) Flora and Fauna of Alpine Australasia CSIRO, Melbourne.
- Carr G. M. and Costin, A.B. (1955) Pleistocene glaciation in the Victorian Alps. Proc Proceedings of the Linnean Society of New South Wales 80, 217-227.
- Carr G. M. and Turner J. S. (1959) The Ecology of the Bogong High Plains. 1. The environmental factors and the grassland communities. Australian Journal of Botany 7, 12-33.
- Carron P.L., Happold D.C.D. and Bubela T.M. (1990) Diet of two sympatric Australian subalpine rodents *Mastacomys fuscus* and *Rattus fuscipes* Australian Wildlife Research 17, 479-489.
- Catling P. C. and Newsome A. E. (1980) Fauna. In: A. Turner (ed.) The Conservation Status of Kosciusko National Park. NPWS New South Wales, Sydney.
- Caughley J. (1986) Distribution and abundance of the mountain pygmy-possum *Burrhamys parvus* Broom, in Kosciusko National Park. Australian Wildlife Research 13, 507-516.
- Chadwick C.E. (1966) Investigations on *Plutorectis caespitosae* Oke (Lep., Psychidae) and *Oncopera alpina* Tindale (Lep., Hepialidae) in the Australian Alps. Journal of the Entomological Society of Australia (N.S.W.) 3, 5-29.
- Chapple D. G. and Swain R. (2004) Inter-populational variation in the cost of autotomy in the metallic skink (*Niveoscincus metallicus*). Journal of Zoology London 264, 411-418.
- Clark, R. L. (1980) Sphagnum growth on Ginini Flats, A. C. T. Unpubl. Report to NSW National Parks and Wildlife Service.

Clark, R. L. (1983) Fire History from Fossil Charcoal in Lake and Swamp Sediments, Ph. D. Thesis, Canberra, Australian National University.

Clark, R. L. (1986) The fire history of Rotten Swamp, A. C. T., Canberra, Unpublished Report to ACT Parks and Conservation Service, CSIRO, Canberra.

Clarke, P. J. and Martin, A. R. H. (1999) Sphagnum peatlands of Kosciuszko National Park in relation to altitude, time and disturbance. Australian Journal of Botany 47, 519-536.

Clemann N. (2002) A herpetofauna survey of the Victorian Alpine Region, with a review of threats to these species. Victorian Naturalist 119, 48-58.

Coleman E. (1938) New notes on the Australian mountain grasshopper (*Acridopeza reticulata*). Victorian Naturalist 55, 24-32.

Colhoun, E. A. and Macphail, M. K. (1985) Late last glacial vegetation, climates and fire activity in southwest Tasmania, Search 16, 43-45.

Colhoun, E. A., Van de Geer, G. (1986) Holocene to middle last glaciation vegetation history at Tullabardine Dam, western Tasmania, Proceedings of the Royal Society of London, Series B 229, 177-207.

Common I. F. B. (1954) A study of the ecology of the adult bogong moth, *Agrotis infusa* (Boisd.) (Lepidoptera: Noctuidae), with special reference to its behaviour during migration and aestivation. Australian Journal of Zoology 2, 223-263.

Costin, A. B. 1952. Hydrological studies in the Upper Snowy catchment area with special reference to the effects of land utilisation. CSIRO Division of Plant Industry Technical Paper No.10.

Costin A.B. (1954) A Study of the Ecosystems of the Monaro Region of New South Wales. Govt. Printer, Sydney.

Costin A.B. (1955) Alpine soils in Australia with reference to conditions in Europe and New Zealand. Journal of Soil Science 6, 35-50.

Costin A.B. (1955) Research problems of high mountains in Australia Australian Journal of Soil Science 17, 117-123.



Costin A.B. (1957) The high mountain vegetation of Australia. Australian Journal of Botany 5, 173-189.

Costin, A.B. (1958). The grazing factor and the maintenance of catchment values in the Australian Alps. Division of Plant Industry Technical Paper, No. 10, CSIRO, Australia.

Costin A.B. (1959) Vegetation of high mountains in Australia in relation to land use. In: A. Keast (ed.) Biogeography and Ecology in Australia Dr. W. Junk, The Hague.

Costin A.B. (1961) Ecology of the high plains 1. Proceedings of the Royal Society of Victoria 75, 327-337.

Costin A.B. (1962) The soils of the High Plains. Proceedings of the Royal Society of Victoria 75, 291-299.

Costin A.B. (1967) Alpine ecosystems of the Australasian region. pp. 55-87 In: H.E. Wright and W.H. Osburn (eds.) Arctic and Alpine Environments. Indiana University Press

Costin A.B. (1970) Ecological hazards of the Snowy Mountains Scheme. Proceedings of the Ecological Society of Australia 5, 87-97

Costin A.B. (1972) Carbon-14 dates from the Snowy Mountains area, south-eastern Australia, and their interpretation. Quaternary Research 2, 579-590.

Costin A.B. (1975) Sub-alpine and alpine communities. pp. 191-198 In: R.M. Moore (ed.) Australian Grasslands. Australian National University. Press Canberra.

Costin, A.B. (1983). Mountain lands in the Australian region: some principles of use and management. Proceedings of the Ecological Society of Australia 12: 155-161.

Costin, A.B. (1989). The Alps in a global perspective. pp 7-21 in Good, R.B. (ed.) The scientific significance of the Australian Alps. Australian Alps Liaison Committee.

Costin A.B., Gay L.W., Wimbush D.J. and Kerr D. (1959) Studies in catchment hydrology in the Australian Alps I: Trends in soils and vegetation. CSIRO Australia Division of Plant Industry Technical paper 13, CSIRO, Melbourne.

Costin, A. B., Gay, L. W., Wimbush, D. J. and Kerr, D. (1961) Studies in catchment hydrology in the Australian Alps. III. Preliminary snow investigations. CSIRO Division of Plant Industry Technical Paper No. 15.

Costin A.B., Gray M., Totterdell C.J. and Wimbush D.J. (1979) Kosciusko Alpine Flora. CSIRO Collins, Melbourne/Sydney.

Costin A.B., Gray M., Totterdell C.J. and Wimbush D.J. (2000) Kosciuszko Alpine Flora. (2<sup>nd</sup> Edition) CSIRO Melbourne.

Costin A.B., Hallsworth E.G. and Woof M. (1952) Studies in pedogenesis in New South Wales III. The alpine humus soils. Australia Journal of Soil Science. 3, 190-218.

Costin A.B., Jennings J. N., Bautovich B. C., and Wimbush D. J. (1973) Forces developed by snowpatch action, Mt. Twynam, Snowy Mountains, Australia. Arctic and Alpine Research 5, 121-126.

Costin, A. B. and Wimbush, D. J. (1961) Studies in catchment hydrology in the Australian Alps. IV. Interception by trees of rain, cloud and fog. CSIRO Division of Plant Industry Technical Paper No. 16.

Costin, A.B. & Wimbush, D.J. (1963). Reaction of species to adverse conditions in the Snowy Mountains. CSIRO Division of Plant Industry Field Station Records 2, 19-30.

Costin A. B., Wimbush D. J., Barrow M. D. and Lake P. (1969) Development of soil and vegetation climaxes in the Mount Kosciusko area, Australia Vegetatio Acta Geobotanica 18, 273-288.

Costin, A. B., Wimbush, D. J. and Cromer, R. N. (1964) Studies in catchment hydrology in the Australian Alps. V. Soil characteristics and evapotranspiration. CSIRO Division of Plant Industry Technical Paper No. 20.

Costin, A.B., Wimbush, D. J. and Kerr, D. (1960) Studies in catchment hydrology in the Australian Alps. II. Surface runoff and soil loss. CSIRO Division of Plant Industry Technical Paper No. 14.

Costin, A.B., Wimbush, D.J., Kerr, D. and Gay, L.W. (1959) Studies in catchment hydrology in the Australian Alps. I. Trends in soil and vegetation. CSIRO Division of Plant Industry Technical Paper. No. 13.

Costin, A.B. and Polach, H.A. (1971) Slope deposits in the Snowy Mountains, south-eastern Australia, Quaternary Research 1, 228-235.

Cousins, K., Johnston, S.W. and Field, J.B. (1998). Alpine soils in two catchments, Perisher Valley: changes in organic horizon structure since European settlement. Proc. 9th International Meeting of the International Humic Substances Society, Adelaide. pp. 67.

Cullen P. and Greenham P. (1980) Aquatic ecosystems. in: A. Turner (ed) The Conservation Status of Kosciusko National Park. Government Printer, Sydney.

Davey C. (2002) The Kosciuszko Blitz: A survey of birds from Thredbo to the summit. pp103-112 in K. Green (ed.) Biodiversity in the Snowy Mountains, Australian Institute of Alpine Studies, Jindabyne.

David, T.W.E., Helm, R. and Pittman, E.F. (1901) Geological notes on Kosciusko, with special reference to evidences of glacial action. Proceedings of the Linnean Society of New South Wales 26, 26-74.

Dawson, M.J. and Miller, C. (2008). Aerial mark – recapture estimates of wild horses using natural markings. Wildlife Research 35, 365 – 370.

D'Costa, D.M. and Kershaw, A.P. (1997) An expanded recent pollen database from south-eastern Australia and its potential for refinement of palaeoclimatic estimates. Australian Journal of Botany 45, 583-605.

Dearn J.M. (1977) Variable life history characteristics along an altitudinal gradient in three species of Australian grasshopper. Oecologia 28, 67-85.

Dickman, C R., Green, K. Carron, P.L., Happold, D.C.D. and Osborne, W S. (1983) Coexistence, convergence and competition among Antechinus (Marsupialia) in the Australian high country. Proceedings of the Ecological Society of Australia 12, 79-99.

Dickson, T.J. (2004) 'Telemark skiing participation in Australia: An exploratory study. Journal of Sports Tourism 9(2), 159-170.

Dimpel, H. (1976) Research on some of the endangered marsupials. Burramys\_ on Mount Kosciusko. Parks and Wildlife 1, 156-158.

Dimpel H. and Calaby J.H. (1972) Further observations on the mountain pygmy possum (Burramys parvus). Victorian Naturalist 89, 101-106.

Dodson, J. R. (1987) Mire development and environmental change, Barrington

Tops, New South Wales, Australia. *Quaternary Research* 27, 73-81.

Dodson, J. R., De Salis, T., Myers, C. A. and Sharp, A. J. (1994) A thousand years of environmental change and human impact in the alpine zone at Mt. Kosciusko, New South Wales. *Australian Geographer* 25, 77-87.

Dodson, J.R., Greenwood, P.W. and Jones, R.L. (1986) Holocene forest and wetland dynamics at Barrington Tops, New South Wales, *Journal of Biogeography* 13, 561-585.

Dombrovskis, P., Flanagan, R. and Kirkpatrick, J.B. (1996) *On the Mountain*. Westwind Press, Hobart, 144 pp.

Donders, T.H., Haberle, S.G., Hope, G.S., Wagner, F. and Visscher, H. (2007) Transition of the eastern Australian climate system from the post-glacial to the present day ENSO mode. *Quaternary Science Reviews* 26, 1621-1637.

Donnellan S.C. and Hutchinson M.N. (1990) Biochemical and morphological variation in the geographically widespread lizard *Leiopisma entrecasteauxii* (Lacertilia: Scincidae) *Herpetologica* 46, 149-159.

Doody J.S. (2009) Superficial lizards in cold climates: Nest site choice along an elevation gradient. *Austral Ecology* 34, 773-779.

Driessen M.M. (2002) Broad-toothed Rat, *Mastacomys fuscus* (Rodentia, Muridae), found in alpine heathland in Tasmania. *Australian Mammalogy*. 23, 163-165.

Dunsmore J.D. (1974) The rabbit in subalpine south-eastern Australia. 1. Population structure and productivity. *Australian Wildlife Research* 1, 17-26.

Duus A.L. (1992) Estimation and analysis of snow cover in the Snowy Mountains between 1900 and 1991. *Australian Meteorological Magazine* 40, 195-204.

Dyring, J. (1990) The impact of feral horses (*Equus caballus*) on sub-alpine and montane environments in Australia. Masters of Applied Science thesis. Department of Resource and Environmental Studies, University of Canberra.

Edmonds, T., Lunt, I.D., Roshier, D.A. and Louis J. (2006) Annual variation in the distribution of summer snowdrifts in the Kosciuszko alpine area, Australia, and its effect on the composition and structure of alpine vegetation. *Austral Ecology* 31, 837-848.

Edwards E. D. (1980) A list of butterflies from Kosciusko National Park. Unpublished Report to Kosciusko National Park.

Edwards E.D. (2002) Lepidoptera (moths and butterflies). pp 58-72 in K. Green (ed.) Biodiversity in the Snowy Mountains. Australian Institute of Alpine Studies, Jindabyne.

Edwards E.D. and Green K. (2011) Two new species of *Oxycanus* Walker (Lepidoptera: Hepialidae) from Kosciuszko National Park, one with a sub-brachypterous female. *Australian Journal of Entomology* 50, 78-85.

Edwards J.S. (1973) Insect fallout on snow in the Snowy Mountains, New South Wales. *Australian Entomological Magazine* 1, 57-59.

Egerton, J.J.G. and Wilson, S.D. (1993) Plant competition over winter in alpine shrubland and grassland. *Arctic and Alpine Research* 25, 124-129.

Farrell, T.P. and Ashton, D.H. (1973) Ecological studies on the Bennison High Plains. *Victorian Naturalist* 90, 286-298.

Fensham, R.J. and Kirkpatrick, J.B. (1992) The eucalypt forest-grassland/grassy woodland boundary in central Tasmania. *Australian Journal of Botany* 40, 123-138.

Ferrar, P.J., Cochrane, P.M. and Slatyer, R.O. (1988) Factors influencing germination and establishment of *Eucalyptus pauciflora* near the alpine tree line. *Tree Physiology* 4, 27-43.

Field Naturalists Club of Victoria and Parks Victoria. (2001) Mount Buffalo Plateau vegetation map. Parks Victoria.

Fletcher, A.R. (1979) Effects of *Salmo trutta* on *Galaxias olidus* and macroinvertebrates in stream communities. M.Sc. thesis, Monash University, Melbourne.

Flood, J.M. (1980) *The Moth Hunters: Aboriginal Prehistory of the Australian Alps*. A.I.A.S., Canberra.

Frith, H.J. (ed.) (1984) *Birds in the Australian High Country*. Revised edition. Angus and Robertson, Sydney.

Fuller, M.E. (1937) Notes on the biology of *Tabanus froggatti*, *T. gentilis*, and *T. neobasalis* (Diptera). Proceedings of the Linnean Society of New South Wales 62, 217-228.

Gall B.C. (1976) An assessment of the human impact on the Thredbo Valley ecosystem. M.Sc. thesis, Macquarie University, Sydney.

Gall B C., and Longmore N.W. (1978) Avifauna of the Thredbo Valley, Kosciusko National Park. *Emu* 78, 189-196.

Gallagher, R.V., Hughes, L. and Leishman, M.R. (2009) Phenological trends among Australian alpine species; using herbarium records to identify climate-change indicators. *Australian Journal of Botany* 57, 1-9.

Galloway R.W. (1963) Glaciation in the Snowy Mountains: a reappraisal. Proceedings of the Linnean Society of New South Wales 88, 180-198.

Galloway, R. W. (1965) Late Quaternary climates in Australia, *Journal of Geology* 73, 603-618.

Galloway R.W. (1986) Australian snowfields past and present. pp. 27-36 In: B.A. Barlow (ed.) *Flora and Fauna of Alpine Australasia: Ages and Origins*. CSIRO, Melbourne.

Galloway R.W. (1988) The potential impact of climate changes on the Australian ski fields. pp. 428-437 In: G.I. Pearman (ed.) *Greenhouse, planning for climate change*, CSIRO Publishing, Melbourne.

Galloway, R. W. (1989) Glacial and periglacial features of the Australian Alps, pp 55-65 in R. Good (ed.), *The Scientific Significance of the Australian Alps*, Canberra, Australian Alps Liaison Committee,.

Galloway, R. and Kemp, E. (1984) Late Cainozoic environments in Australia. pp 83-108. In: M. Archer and G. Clayton (eds.) *Vertebrate zoogeography and evolution in Australia*. Hesperian, Sydney.

Geiser, F., Sink, H.S., Stahl, B., Mansergh, I.M. and Broome, L.S. (1990) Differences in the physiological response to cold in wild and laboratory-bred mountain pygmy possums *Burramys parvus* (Marsupialia). *Australian Wildlife Research* 17, 535-539.

Gibbons, F. and Rowan, R.K. (1993) Soils in relation to vegetation in Victoria. pp 159-194. In: D.B. Foreman, N.G. Walsh (Eds.) *Flora of Victoria*. Volume 1. Inkata Press, Melbourne.

Gibson, N. (1984) Impact of trampling on bolster heath communities of Mt Field

National Park. Papers and Proceedings of the Royal Society of Tasmania, 118, 47-52.

Gibson, N.L. and Kirkpatrick, J.B. (1985) Vegetation associated with localised snow accumulation at Mount Field West, Tasmania. *Australian Journal of Ecology* 10, 91-99.

Gibson, N. and Kirkpatrick, J.B. (1985) A comparison of the cushion plant communities of New Zealand and Tasmania. *New Zealand Journal of Botany* 23, 549-66.

Gibson, N. and Kirkpatrick, J.B. (1989) Effects of the cessation of grazing on the grasslands and grassy woodlands of the Central Plateau, Tasmania. *Australian Journal of Botany* 37, 55-63.

Gibson, N. and Kirkpatrick, J.B. (1992) Dynamics of a Tasmanian cushion heath community. *Journal of Vegetation Science* 3, 647-654.

Giljohann, K.M., Hauser, C.E., Williams, N.S.G. and Moore, J.L. (2011) Optimizing invasive species control across space: willow invasion management in the Australian Alps. *Journal of Applied Ecology* 48, 1286-1294

Gill, A.M., Good, R., Lennon, J., Mansergh, I. and Norris, R. (2004) Beyond the bushfires 2003: Environmental issues in the Australian Alps. Australian Alps Liaison Committee: Canberra

Gillieson, D., Spate, A. and Head, J. (1985) Evidence for cold-climate processes at Wombeyan Caves, Southern Tablelands, New South Wales, *Search* 16, 46-47.

Good, R.B. (1973) A Preliminary Assessment of Erosion Following Wildfire in Kosciusko National Park NSW in 1972. *Journal SCS* 29:4

Good, R.B. (1981) The Role of Fire in Conservation Reserves. pp. 529-549 In: Gill, A.M., Noble, I.R. and Groves, R.H. (eds.) *Fire and the Australian Biota*. Australian Academy of Science, Canberra.

Good, R.B. (1986) A Basis for Fire Management in Alpine National Parks, pp. 86-104 In: K.Frawley (ed.) *Management of Alpine National Parks*. National Parks Association (ACT) Canberra.

Good, R.B. (1989) (ed.) *The Scientific Significance of the Australian Alp*. First Fenner Conference on the Environment, Australian Academy of Science and Australian Alps Liaison Committee, Canberra. 392 pages

Good, R.B. (1992) The Scientific Heritage of the Australian Alps. pp. 197-210 In: B.Scougall (ed.) Proceedings of the Symposium - The Cultural Heritage of the Australian Alps. Australian Alps National Parks Liaison Committee, Canberra

Good, R.B. (1992) The Australian Alps. *Revue de Geographie Alpine* 4. 39-63.

Good, R.B. (1992) Co-operative management of the Australian Alps National Parks.  
*Revue de Geographie Alpine* 4, 335-358.

Good, R.B. (1992) Vegetation management in the Australian Alps. *Revue de Geographie Alpine* 4, 361-380.

Good, R.B. (1992) Fire Management in the Australian Alps. *Revue de Geographie Alpine*. 4, 451-478.

Good, R.B. (1994) Some environmental impacts of recreation in the Australian Alps.  
*Journal Royal Australian Institute of Parks and Recreation*. Summer 1994. 20-26

Good, R.B. (1995) Sustainable development in the Australian Alps. *Mountain Research and Development* 15, 3

Good, R.B. (1995) Biological diversity data sheet - The Australian Alps. pp. 458-461 In: S.D. Davis, V.H. Heywood and O. Herrera-McBryde (eds.) *Centres of Plant Diversity, A Guide and Strategy for their Conservation*. IUCN, Gland Switzerland and WWF Plant Conservation Office, Surrey UK.

Good, R.B. (1996) Grazing and protected areas - A cultural landuse conflict in the Australian Alps. pp. 58-64 In: Ralston, M., Hughey, K. and O'Connor, K (eds.) *Mountains of East-Asia and the Pacific*. Lincoln University, New Zealand.

Good, R.B. (1996) Australian alpine plants - origins and distribution. Pp.83-108 In: J.Sheppard (ed.) *Proceedings of International Conference - Southern Alpines '96* New Zealand Alpine Garden Society Inc and British Alpine Garden Society, Christchurch New Zealand.

Good, R.B. (1999) Rehabilitation and revegetation of the Kosciuszko summit area following the removal of grazing - An historic review. pp. 21-25 In: J. Mill (ed.) *Promotion, Practice and Partnerships Proceedings 4<sup>th</sup> biannual Conference of the Australian Network for Plant Conservation* . Albury. ANPC Canberra



Good, R.B. (2003) The significance of mountain catchments to society. pp. 219-224 In: J. Mackay (ed.) Celebrating mountains. Proceedings of an International Year of the Mountains Conference. Jindabyne, Australian Alps Liaison Committee.

Good, R.B. (2004) Rehabilitating fire-damaged wetlands in the Snowy Mountains. Australasian Plant Conservation – Bulletin of the Australian Network for Plant Conservation 12(4) 3-4

Good, R.B. (2004) Fire management experience and lessons from Kosciuszko National Park. pp. 41–47 In: Bushfire in a changing environment – New directions in management. Nature Conservation Council Sydney

Good, R.B. (2006) Australian Alps Rehabilitation Manual – A guide to ecological rehabilitation in the Australian Alps. Australian Alps Liaison Committee, Canberra.

Good, R.B. (2006) Post-fire ecosystem rehabilitation in Namadgi and Kosciuszko National Parks. pp. 121-128 In: K.F. McCue and S. Lenz, Caring for Namadgi – Science and People. Proceedings of National Parks Association ACT, Symposium 2006.

Good, R.B. (2008) The impacts of climate change on the alpine biota: Management adaptations in the Australian Alps. International Mountain Forum Bulletin. January 2008 pp. 9 –11.

Good, R.B. (2008) Management adaptations to climate change in the alpine area. pp. 29-34. In: K.F. McCue and S. Lenz Corridors for survival in a changing world. Proceedings of National Parks Association ACT, Symposium, Canberra.

Good, R.B., Taylor, D., Fethers, S., Cosgrove, C., McAuliffe, J., Nicotra, A., Steadman, K. and Hoyle, G. (2009) Australian National Botanic Gardens: Protecting alpine plants in the face of climate change. Australian Plant Conservation 18:2 Sept / November 2009. pp 13-14.

Good, R.B and Wright, G. (2010) Predicted responses of alpine plant communities to increases in solar ultraviolet light in the Alps National Parks. pp. 117-126 In: K. McCue and S. Jenz. (eds.) Proceedings of ACT NPA Symposium – National Parks- can they take the heat? National Parks Association Canberra.

Good, R., Wright, G., Whinam, J. and Hope, G.S. (2010) Restoration of mires of the Australian Alps following the 2003 wildfires. Terra Australis. 32, 353-362.

Good, R.B. (1992) Kosciusko Heritage – The conservation significance of

Kosciusko National Park. National Parks and Wildlife Service and Surrey Beatty & Sons Sydney.

Grant, T.R. (1983) Body temperatures of free-ranging platypuses, *Ornithorhynchus anatinus* (Monotremata), with observations on their use of burrows. *Australian Journal of Zoology* . 31, 117-122.

Gray, M (1976) Miscellaneous notes on Australian plants: *Craspedia*, *Graphahrium*, *Epacris*, *Tasinannia* and *Deyenxia*, *Herb Australia* 26, 1-11

Gray, M. and Given, D.R. (1999) Near species and a new combination in Australian *Celmisia* (Asteraceae - Astercae), *Australian Systematic Botany* 12, 201-206

Green, K. 1979. Observations on rock climbing by the fish *Galaxias brevipinnis*. *Victorian Naturalist* 96, 230-1.

Green, K. (1982) Migration of an ichneumonid wasp over a subalpine pass. *Victorian Naturalist* 99, 260.

Green, K. (1982) Notes on winter-active invertebrates beneath the snow. *Victorian Naturalist* 99, 144-6.

Green, K. (1983) Alternative strategies in the life cycle of alpine grasshoppers (Orthoptera:Acridoidea). *Proceedings of the Ecological Society of Australia* 12, 125-33.

Green, K. (1989) Altitudinal and seasonal differences in the diets of *Antechinus swainsonii* and *A. stuartii* (Marsupialia:Dasyuridae) in relation to the availability of prey in the Snowy Mountains. *Australian Wildlife Research* 16, 581-592.

Green, K. (1997) Inter-annual, seasonal and altitudinal differences in invertebrate activity in the Snowy Mountains. *Victorian Naturalist* 114, 222-229.

Green, K. (1998) A winter niche: the subnivean space. pp 125-140 In: K. Green (ed.) *Snow: A Natural History; an Uncertain Future*. Australian Alps Liaison Committee, Canberra.

Green, K. (ed.) (1998) *Snow: A Natural History; an Uncertain Future*. 252pp. Australian Alps Liaison Committee, Canberra.

Green, K. (1999) The use of forms for denning by Common Ringtail Possums *Pseudocheirus peregrinus*. *Victorian Naturalist* 116, 129-130.

Green, K. (2000) Small mammal activity on the snow surface. *Victorian Naturalist* 117, 214-218.

- Green, K. (2001) Autumnal body mass reduction in *Antechinus swainsonii* (Dasyuridae) in the Snowy Mountains. *Australian Mammalogy* 23, 31-36.
- Green, K. (2002) Selective predation on the broad-toothed rat *Mastacomys fuscus* (Rodentia:Muridae) by the introduced red fox *Vulpes vulpes* (Carnivora: Canidae) in the Snowy Mountains. *Austral Ecology* 27, 353-359.
- Green, K. (ed.) (2002) *Biodiversity in the Snowy Mountains*. Australian Institute of Alpine Studies, Jindabyne. 148pp.
- Green, K. (2002) The native alpine and subalpine fauna of the Snowy Mountains. pp 134-148 In Green, K.(ed.) *Biodiversity in the Snowy Mountains*. Australian Institute of Alpine Studies, Jindabyne.
- Green, K. (2003) Altitudinal and temporal differences in the food of foxes (*Vulpes vulpes*) at alpine and subalpine altitudes in the Snowy Mountains. *Wildlife Research* 30, 245-253.
- Green, K. (2005) Winter home range and foraging of common wombats (*Vombatus ursinus*) in patchily burnt subalpine areas of the Snowy Mountains, Australia. *Wildlife Research* 32, 525-529.
- Green, K. (2006) The return migration of Bogong Moths, *Agrotis Infusa* (Boisduval) (Lepidoptera : Noctuidae) from the Snowy Mountains, New South Wales. *Australian Entomologist* 33, 27-30.
- Green, K. (2006) Winter arousal of a high mountain skink *Pseudemoia rawlinsoni* following hibernation beneath the snow. *Herpetofauna* 35, 95-97.
- Green, K. (2006) Impacts on fauna from late winter variability in weather in the Snowy Mountains of Australia; implications for monitoring. pp162-165 in: M. Price (ed.) *Global change in mountain regions*. Sapiens Publishing, Duncow, Scotland.
- Green, K. (2006) The effect of variation in snowpack on timing of bird migration in the Snowy Mountains. *Emu* 106. 187-192
- Green, K. (2008) Migratory bogong moths (*Agrotis infusa*) transport arsenic and concentrate it to lethal effect by gregariously aestivating in alpine regions of the Snowy Mountains of Australia. *Arctic, Antarctic and Alpine Research* 40, 74-80.
- Green, K. (2008) Fragmented distribution of a rock climbing fish, the Mountain Galaxias *Galaxias olidus*, in the Snowy Mountains. *Proceedings of the Linnean Society of New South Wales* 129, 175-182.

- Green, K. (2008) Alpine ecosystems pp 73-78 In: Lindenmayer D, Morton S, Dovers S and Harriss Olson M. (eds.) Ten Commitments CSIRO Publishing, Collingwood.
- Green, K. (2009) Causes of stability in the alpine treeline in the Snowy Mountains of Australia – a natural experiment. *Australian Journal of Botany* 57, 171-179
- Green, K. (2010) Alpine taxa exhibit differing responses to climate warming in the Snowy Mountains of Australia. *Journal of Mountain Science* 7, 167-175.
- Green, K. (2010) The aestivation sites of Bogong Moths, *Agrotis Infusa* (Boisduval) (Lepidoptera: Noctuidae), in the Snowy Mountains and the projected effects of climate change. *Australian Entomologist* 37, 95-104.
- Green, K. (2011) Is the altitudinal distribution of the Broad-toothed rat in Tasmania a result of the effects of Bennett's Wallaby? *Australian Zoologist* 35, 770-773.
- Green, K. (2011) Interannual and seasonal changes in the ice cover of glacial lakes in the Snowy Mountains of Australia. *Journal of Mountain Science* 8, 655-663
- Green, K. (2011) The transport of nutrients and energy into the Australian Snowy Mountains by migrating Bogong Moths *Agrotis infusa*. *Austral Ecology* 35, 25-34.
- Green, K., Broome, L., Heinze, D. and Johnston, S. (2001) Long distance transport of arsenic by migrating Bogong Moths from agricultural lowlands to mountain ecosystems. *Victorian Naturalist* 118, 112-116.
- Green, K. and Crowley, H. (1989) Energetics and behaviour of active subnivean insectivores *Antechinus swainsonii* and *A. stuartii* (Marsupialia: Dasyuridae) in the Snowy Mountains. *Australian Wildlife Research* 16, 509-516
- Green, K., Good, R.B., Johnston, S.W. and Simpson L.A. (2005) Alpine grazing in the Snowy Mountains of Australia: degradation and stabilisation of the ecosystem. pp213-225 in Eva Spehn, Maximo Liberman, Christian Körner. (eds.) *Land Use Changes and Mountain Biodiversity* CRC Press LLC, Boca Raton FL, USA
- Green, K., Mansergh, I.M. and Osborne, W.S. (1992) The fauna of the Australian Alps: conservation and management. *Review Géographie Alpine* 80, 381-407.
- Green, K. and Osborne, W.S. (1979) A summer vertebrate fauna survey above 1500m in the Gungahran region of Kosciusko National Park, New South Wales. *Victorian Naturalist* 96, 176-84.

Green, K. and Osborne, W.S. (1981) The diet of foxes, *Vulpes vulpes* (L.) in relation to abundance of prey above the winter snowline in New South Wales. *Australian Wildlife Research* 8, 349-60.

Green, K. and Osborne, W.S (1994) *Wildlife of the Australian Snow-Country*. Reed, Sydney. 200pp.

Green K. and Osborne W S. (1998) Snow as a selecting force on the alpine fauna. pp 141-164 In: K. Green (ed.) *Snow: A Natural History; an Uncertain Future*. Australian Alps Liaison Committee, Canberra.

Green, K. and Osborne, W.S. (2003) The Distribution and Status of the Broad-toothed Rat *Mastacomys fuscus* (Rodentia: Muridae) in New South Wales and the Australian Capital Territory. *Australian Zoologist* 32, 229-237

Green, K. and Osborne, W.S. (2006) Diet of the mountain log skink *Pseudemoia entrecasteuxii* at high elevations in the Snowy Mountains *Herpetofauna* 36, 6-10

Green, K. and Osborne, W.S (In press 2012) *Wildlife of the Australian Snow-Country*. New Holland Publishers.

Green, K. and Pickering, C.M. (2002) A scenario for mammal and bird diversity in the Australian Snowy Mountains in relation to climate change. pp241-249 in: C. Koerner and E.M. Spehn (eds) *Mountain Biodiversity: a Global Assessment*. Parthenon Publishing, London.

Green, K. and Pickering, C. (2009) Vegetation, microclimate and soils associated with the latest lying snowpatches in Australia *Plant Ecology and Diversity*. 2, 289-300.

Green, K. and Pickering, C. (2009) The decline of snowpatches in the Snowy Mountains of Australia: importance of climate warming, variable snow and wind. *Arctic, Antarctic and Alpine Research* 41. 212-218.

Green, K. and Sanecki, G. (2006) Immediate and short term responses of bird and mammal assemblages to a subalpine wildfire in the Snowy Mountains, Australia. *Austral Ecology* 31, 673-681.

Green, K., Stein J.A., and Driessen, M.M. (2008) The projected distributions of *Mastacomys fuscus* and *Rattus lutreolus* in south-eastern Australia under a scenario of climate change: potential for enhanced competition? *Wildlife Research* 35, 113-119.

Grey E.J. (2002) Invertebrates of Mount Mckay – a brief survey. *Victorian Naturalist* 119, 29-35.

Grigg G., Beard L. and Augee M (1990/91) Echidnas in the high country. Australian Natural History 23(7), 528-537.

Grover, S.P.P. (2006) Carbon and water dynamics of peat soils in the Australian Alps. PhD Thesis, Latrobe University.

Grover, S.P.P. and Baldock, J.A. (2010) Carbon decomposition processes in a peat from the Australian Alps. European Journal of Soil Science, 61, 217-230.

Grover, S.P.P. and Baldock, J.A. (In press) Carbon chemistry and mineralisation of peat soils, from the Australian Alps. European Journal of Soil Science.

Grover, S.P.P., Baldock, J.A. and Jacobsen, G.E. (In press 2011) Accumulation and attrition of peat soils in the Australian Alps: isotopic dating evidence. Austral Ecology. doi

Grover, S.P.P., McKenzie, B.M., Baldock, J.A. and Papst, W.A. (2005) Chemical characterisation of bog peat and dried peat of the Australian Alps. Australian Journal of Soil Research 43, 963-971.

Growcock, A.J. (2006) Impacts of camping and trampling on Australian alpine and subalpine vegetation and soils. PhD Thesis, Griffith University Gold Coast.

Growcock, A.J. and Pickering, C.M. (2011) Impacts of small group short term experimental camping on alpine and subalpine vegetation in the Australian Alps. Journal of Ecotourism 10, 86-100.

Growcock, A.J., Pickering C.M. and Johnston, S.W. (2004) Walking on ashes: Short-term impacts of experimental trampling on soils after bushfire. Victorian Naturalist 12, 199-206.

Hancock M.A., Timms B.V., Morton J.K. and Renshaw B.A. (2000) The structure of the littoral invertebrate communities of the Kosciuszko Region lakes. Proceedings of the Linnean Society of New South Wales 122, 69-77.

Hancock, W. K. (1972) Discovering Monaro. A study of man's impact on his environment. Cambridge University Press.

Happold, D.C.D. (1983) Broad-toothed rat. p. 423 In: R. Strahan (ed.) Complete Book of Australian Mammals. Angus and Robertson, Sydney.

Happold, D.C.D. (1989) The value of faecal pellets for ascertaining the presence of *Mastacomys fuscus* (Rodentia, Muridae) in field surveys. *Victorian Naturalist* 106, 41-43.

Happold, D.C.D. (1989) Small mammals of the Australian Alps. pp. 221-239 In: R. Good (ed.) The Scientific significance of the Australian Alps. Australian Academy of Science and NSW National Parks & Wildlife Service.

Happold, D.C.D. (1998) The subalpine climate at Smiggin Holes, Kosciusko National Park, Australia, and its influence on the biology of small mammals *Arctic and Alpine Research* 30, 241-251.

Happold, D.C.D. (2011) Reproduction and ontogeny of *Mastacomys fuscus* (Rodentia: Muridae) in the Australian Alps and comparisons with other small mammals living in alpine communities. *Mammalian Biology* 76: 540–548.

Hauser, C.E., and McCarthy, M.A. (2009) Streamlining 'search and destroy': cost-effective surveillance for invasive species management. *Ecology Letters* 12, 683-692. (Case study is hawkweed on the Bogong High Plains)

Hawking, J.H. (1998) Freshwater macroinvertebrates of Mount Buffalo. *Victorian Naturalist* 115, 215-221.

Hay D.A. (1976) Freshwater planarians in Kosciusko National Park. Unpublished report to Kosciusko National Park.

Hayman, D. and Mansergh, I., 1984. Studies on the sex chromosomes of *Burramys parvus* Broom (Marsupialia: Burramyidae) *Australian Mammalogy* 7, 179-80

Heinze, D., Broome, L. and Mansergh, I. (2004) A review of the ecology and conservation of the mountain pygmy possum *Burramys parvus*. pp 254-267 In: R.L. Goldingay and S. M. Jackson (eds.) *The biology of Australian possums and gliders*, Surrey Beatty & Sons, Chipping Norton.

Heinze, D.A. and Olejniczak, A.M. (2000) First observations of the mountain pygmy -possum *Burramys parvus* nesting in the wild. *Australian Mammalogy* 22, 65-67.

Heinze, D. and Willimas, L. (1998) The discovery of the mountain pygmy-possum on Mount Buller, Victoria. *Victorian Naturalist* 115, 230-231

Helman, C.E. and Gilmour, P.M. (1985) Treeless vegetation above 1000 metres

altitude in the A.C.T. Unpublished report to the Conservation Council of the Southeast Region and Canberra.

Helms, R. (1890) Report on a collecting trip to Mount Kosciusko. Records of the Australian Museum 1, 11-16.

Helms, R. (1890) Report on the grazing leases of the Mount Kosciusko plateau. N.S.W. Agricultural Gazette 4, 530-531.

Helms, R. (1896) The Australian Alps, or Snowy Mountains. Royal Geographical Society of Australia Journal 6, 75-96.

Hennessy, K.J., Whetton, P.H., Smith, I.N., Bathols, J.M., Hutchinson, M. and Sharples, J. (2003) The impact of climate change on snow conditions in mainland Australia. CSIRO Atmospheric Research, Aspendale.

Hennessy, K.J., Whetton, P.H., Walsh, K., Smith, I.N., Bathols, J.M., Hutchinson, M. and Sharples, J. (2008) Climate change effects on snow conditions in mainland Australia and adaptation at ski resorts through snowmaking. Climate Research 35, 255-270.

Hill, R.S. and Gibson, N. (1986) Macrofossil evidence for the evolution of the alpine and subalpine vegetation of Tasmania pp. 205-217 In: B.A. Barlow (ed.) Flora and Fauna of Alpine Australasia: Ages and Origins. CSIRO, Melbourne.

Hill, W. and Pickering, C.M. (2006) Vegetation associated with different walking track types in the Kosciuszko alpine area, Australia. Journal of Environmental Management. 78, 24-34.

Hill, W. and Pickering, C.M. (2002). Regulation of summer tourism in mountain conservation reserves in Australia. Cooperative Research Centre for Sustainable Tourism, Griffith University, Gold Coast. 43 pp.

Hoffmann, A.A., Griffin, P.C. and MacRaid, R.D. (2009) Morphological variation and floral abnormalities in a trigger plant across a narrow altitudinal gradient. Austral Ecology 34,780-782

Hoffmann, A.A., Camac, J.S., Williams, R.J., Papst, W., Jarrad, F.C., Wahren C-H. (2010) Phenological changes in six Australian subalpine plants in response to experimental warming and year-to-year variation. Journal of Ecology 98, 927 – 937.

Hollis, G. (1995) reassessment of the distribution, abundance and habitat of the Baw Baw Frog *Philoria frosti* Spencer: preliminary findings. Victorian Naturalist 12, 190-201.



Hollis, G. (2004) Ecology and conservation biology of the Baw Baw Frog *Philoria frosti* (Anura: Myobatrachidae): distribution, abundance, autecology and demography. PhD thesis, Department of Zoology, University of Melbourne.

Hope, J. (1984) The Australian Quaternary. pp. 69-81 In: M. Archer and G. Clayton (eds) Vertebrate Zoogeography and Evolution in Australia. Hesperian, Sydney.

Hope, G. S. (1984) Australian environmental change: timing, directions, magnitudes, and rates. pp 681-690 In: P. S. Martin and R. G. Klein (eds), Quaternary Extinctions: A Prehistoric Revolution, Tuscon, University of Arizona Press.

Hope, G. S. (1989) Climatic implications of timberline changes in Australasia from 30, 000 yr BP to present. pp 91-99 In: T. H. Donnelly and R. J. Wasson (eds), CLIMANZ 3, Proceedings of the Third Symposium on the Late Quaternary Climatic History of Australasia, November 28-29, 1987, Melbourne University, 28-29 November 1987, Canberra, CSIRO.

Hope, G. S. (1994) Quaternary Vegetation. pp 368-389 In: R. Hill (ed.) History of the Australian Vegetation, Cambridge, Cambridge University Press.

Hope, G. (2003) ACT Bogs after the fire. News of Friends of Grasslands July/Aug 2003, 11.

Hope, G.S. (2003) The mountain mires of southern New South Wales and the Australian Capital Territory: their history and future. pp 67-79 in J. Mackay and Assoc. (eds.) Celebrating mountains. Proceedings of an International Year of the Mountains Conference. Jindabyne, Australian Alps Liason Committee.

Hope, G.S. (2005) Tom Gregory Bog, an infilled meander of the upper Cotter River, Australian Capital Territory. Unpublished report to ECOWISE ACT and Environment ACT.

Hope, G.S. (2006) Histories of wetlands in the Australian Capital Territory and the bog recovery program. pp 129-144 In: K. McCue, S. Lenz and S. Freidrich (eds.), Caring for Namadgi Science and People. Proceedings of the NPA ACT Symposium Canberra May 2006. Canberra, National Parks Association ACT.

Hope, G.S. (2010) Now you see them: will the ephemeral lakes of Namadgi

National Park be lost to climate change? pp 95-104 In: K. McCue and S. Lenz, (eds) National Parks -can they take the heat? Proceedings of the National Parks Association ACT Symposium May 2010, Canberra.

Hope, G.S. and Clark, R.L. (2008) A tale of two swamps: subalpine peatlands in the Kelly-Scabby area of Namadgi National Park. pp. 61-76 In:K. McCue and S. Lenz (eds.) Corridors for Survival in a Changing World. National Parks Assoc. ACT, Canberra.

Hope, G.S., Nanson, R. and Flett, I. (2009) The peat-forming mires of the Australian Capital Territory. Technical Report 19, Territory and Municipal Services, ACT Government, Canberra. Pp 57

Hope, G.S., Nanson, R. and Jones, P. (2011) The peat-forming bogs and fens of the Snowy Mountains of New South Wales. NSW Parks and Wildlife Service Technical Report. Pp81.

Hope, G. S. and Southern, W. (1983) Organic deposits of the Southern Tablelands region, New South Wales, Unpub Report, Sydney, NSW National Parks and Wildlife Service.

Hope, G., Whinam, J. and Good, R. (2005) Methods and preliminary results of post-fire experimental trials of restoration techniques in the peatlands of Namadgi (ACT) and Kosciuszko National Parks(NSW). Ecological Management and Restoration 6, 215-218.

Hunter, D., Osborne, W., Marantelli, G. and Green, K. (1999) Implementation of a population augmentation project for remnant populations of the southern corroboree frog (*Pseudophryne corroboree*) pp 158-167. In A. Campbell (ed.) Declines and disappearances of Australian Frogs Environment Australia, Canberra.

Hunter, D., Osborne, W., Smith, M. and McDougall, K. (2009) Breeding habitat use and the future management of the critically endangered southern corroboree frog. Ecological Management and Restoration 10, s103-s109.

Hunter, D.A., Speare, R., Marantelli, G., Mendez, D., Pietsch, R., Osborne, W. (2010) Presence of the amphibian chytrid fungus, *Batrachochytrium dendrobatidis*, in threatened corroboree frog populations in the Australia Alps. Diseases of Aquatic Organisms 92, 117-129.

Hutchinson M.N. and Donnellan S.C. (1988) A new species of scincid lizard from southeastern Australia, related to *Leiopisma entrecasteauxii*. Transactions of the Royal Society of South Australia 112, 143-151.

Hutchinson, M.N., Schwaner, T.D. and Medlock, K. (1988). A new species of scincid lizard (Lygosominae: *Leiopisma*) from the highlands of Tasmania. Proceedings of the Royal Society of Tasmania 100, 67-73.

Inouye D.W. and Pyke G.H. (1988) Pollination biology of the Snowy Mountains of Australia: comparisons with montane Colorado, USA. Australian Journal of Ecology 13, 191-210.

Jackson, W. D. 1973. Vegetation of the Central Plateau. Pp. 61-86 in M. Banks (ed). The Lake Country of Tasmania. Roy. Soc. Tasmania, Hobart.

Jamieson B. G. M. (1973) Earthworms (Megascolecidae: Oligochaeta) from Mount Kosciusko, Australia. Rec. Aust. Mus. 28, 215-252.

Jarrad, F. C. (2008) Impacts of climate change and fire on subalpine open-heathlands on the Bogong High Plains. PhD Thesis, University of Melbourne, Melbourne.

Jarrad, F. C.; Wahren, C. H.; Williams, R. J., et al. (2009) Subalpine plants show short-term positive growth responses to experimental warming and fire. Australian Journal of Botany 57, 465-473.

Jarrad, F.C., Wahren, C.H., Williams, R.J., Burgman, M.A., (2008) Impacts of experimental warming and fire on phenology of subalpine open heath species. Australian Journal of Botany. 56: 617-629.

Jelinek, A., Cameron, D., Belcher, C. and Turner, L. (1995) New perspectives on the ecology of Lake Mountain: the discovery of Leadbeater's Possum *Gymnobelideus leadbeateri* McCoy in sub-alpine woodland. Victorian Naturalist 112, 112-115.

Jenkins, R. and Bartell, R. (1980). Reptiles of the Australian High Country. Inkata Press, Melbourne.

Jennings, J.N. and Costin, A.B. (1978) Stone movement through snow creep, 1963-75 Mount Twynam, Snowy Mountains, Australia. Earth Surface Processes 3, 3-22.

Johnston, F., Hill, W. and Pickering, C.M. (2007) Distribution, frequency and density of the weed *Achillea millefolium* (Yarrow) in the Snowy Mountains, Australia. Victorian Naturalist 123, 52-63.

Johnston, F. and Pickering, C.M. (2001) Yarrow, *Achillea millefolium* L.: A weed threat to the flora of the Australian Alps. *Victorian Naturalist* 118, 230-233.

Johnston, F.M. and Pickering, C.M. (2001) Alien plants in the Australian Alps. *Mountain Research and Development* 21, 284-291.

Johnston, F.M. and Pickering, C.M. (2004) Biomass allocation declines with altitude in the weed, *Achillea millefolium* in the Australian Alps. *Australian Journal of Botany* 52, 1-8.

Johnston, F.M. and Pickering, C.M. (2006) Phenology of the environmental weed *Achillea millefolium* (Asteraceae) along altitudinal and disturbance gradients in the Snowy Mountains, Australia. *Nordic Journal of Botany* 24, 148-160.

Johnston, F. and Pickering, C.M. (2007). Effects of density on above and below ground biomass of the native alpine grass *Poa fawcettiae* and the environmental weed *Achillea millefolium*. *Nordic Journal of Botany* 25: 167-175.

Johnston, S.W. (1995) The effects of zinc toxicity on short and tall alpine herbfields, Carruthers Peak, Kosciusko National Park, N.S.W. Honours thesis, Australian National University.

Johnston, S.W. (2000) The influence of aeolian dust deposits on alpine soils in south-eastern Australia. *Australian Journal of Soil Research*. 5, 81-88.

Johnston, S.W. and Good, R.B. (1996) The impact of exogenous zinc on the soils and plant communities of Carruthers Peak, Kosciusko National Park NSW. In: *Proceedings of the ASSSI and NZSSS National Soils Conference Melbourne Vol. 3A*, 117-119.

Johnston, S.W. and Good, R.B. (2001) The management of zinc toxicity during and following revegetation of eroded alpine environments. pp xx-xx, In: Worboys G. (ed.) *Protected Area Management: principles and practice*. IUCN WCPA, Oxford University Press.

Johnston, S. and Good, R.B. (2004) Ecological restoration, habitat rehabilitation and ecological sustainability in the Snowy and Brindabella Ranges, southeastern Australia. pp 43 – 45 In: L.Taylor and A. Ryall (eds.) *Interdisciplinary Research and Management in Mountain Areas. Proceedings of Conference- Banff National Park 2004*. The Banff Centre.

Johnston, S.W. and Ryan, M. (1999) Occurrence of Arbuscular Mycorrhizal Fungi in Tall Alpine Herbfields in Kosciuszko National Park: Implications for Rehabilitation. In: *Proceedings of the 4th ANPC Conference*, Albury.

Johnston, S.W. and Ryan, M. (2000). Occurrence of Arbuscular Mycorrhizal Fungi across a range of alpine humus soil conditions in Kosciuszko National Park, Australia. *Arctic, Antarctic and Alpine Research* 32, 255-261.

Jones, J. G. and Veevers, J. J. (1982) A Cainozoic history of Australia's Southeast Highlands, *Journal of the Geological Society of Australia* 29, 1-12.

Keane, P.A. (1977) Native species for soil conservation in the alps- New South Wales. *Soil Conservation Journal* 33, 200-217.

Kelly, C., Pickering, C.M. and Buckley, R.C. (2003). Impacts of tourism on threatened plants taxa and communities in Australia. *Ecological Restoration and Management* 4, 37-44.

Kemp, J. (1993) The end of the Pleistocene in the southern tablelands, southeastern Australia. BA thesis, Department of Geography, ANU.

Kerle, J. (1984) Growth and development of *Burramys parvus* in captivity. pp 409-412 In: A.P. Smith and I.D. Hume (eds.) *Possums and Gliders*. Australian Mammal Society, Sydney.

Kershaw, A.P., McEwen Mason, J.R., McKenzie, G.M., Strickland, K.M. and Wagstaff, B.E. (1986) Aspects of the development of cold adapted flora and vegetation in the Cenozoic of southeastern mainland Australia. pp. 147-160 In: B.A. Barlow (ed.) *Flora and Fauna of Alpine Australasia*. CSIRO, Melbourne.

Kershaw, A. P. (1998) Estimates of regional climatic variation within southeastern mainland Australia since the last glacial maximum from pollen data. *Palaeoclimates: Data and Modelling* 3, 107-134.

Kershaw, A. P. and Strickland, K. M. (1989) The development of alpine vegetation on the Australian mainland. pp. 113-126 in R. Good (ed.) *The Scientific Significance of the Australian Alps*, Canberra, Australian Alps Liaison Committee.

Kershaw, A. P., Bulman, D. and Busby, J. R. (1994) An examination of modern and pre-European settlement pollen samples from southeastern Australia: assessment of their application to quantitative reconstruction of past vegetation and climate. *Review of Palaeobotany and Palynology* 82, 83-96.

Kershaw, A.P., D'Costa, D.M., McEwen Mason, J.R.C. and Wagstaff, B.E. (1991)

Palynological evidence for Quaternary vegetation and environments of mainland southeastern Australia, *Quaternary Science Reviews* 10, 391-404.

Kershaw, A.P., McEwen Mason, J.R., McKenzie, G.M., Strickland, K.M. and Wagstaff, B.E. (1986) Aspects of the development of cold-adapted flora and vegetation in the Cainozoic of mainland Australia. pp 147-160 in B.A. Barlow (ed. ), *Flora and Fauna of Alpine Australasia: Ages and Origins*, Melbourne, CSIRO.

Kershaw, A.P., McKenzie G.M., Brown J., Roberts R.G. and van der Kaars S. (2010) Beneath the peat: A refined pollen record from an interstadial at Caledonia Fen, highland eastern Victoria, Australia. *Terra Australis* 32, 33-48.

Kershaw, A.P., McKenzie, G.M, Porch, N., Roberts, R.G., Brown, J., Heijnis, H., Orr, L.M., Jacobsen, G., Newall, P.R. (2007) A high resolution record of vegetation and climate through the last glacial cycle from Caledonia Fen, south-eastern highlands of Australia. *Journal of Quaternary Science* 22, 481-500

Kershaw, P., Reid, M., Bulman, D., Aitken, D., Gell, P., McKenzie, M. and Hibberd, J. (1993) Identification, classification and evaluation of peatlands in Victoria. Report to the Australian Heritage Commission. Centre for Palynology and Palaeoecology, Department of Geography and Environmental Science, Monash University.

Key, K.H.L. and Day M.F. (1954) A temperature-controlled physiological colour response in the grasshopper *Kosciuscola tristis* Sjost. (Orthoptera, Acrididae). *Australian Journal of Zoology* 2, 309-338.

Kirkpatrick, J.B. (1980) Tasmanian high mountain vegetation - A reconnaissance survey of the Eastern Arthur Range and Mount Picton. *Papers and Proceedings of the Royal Society of Tasmania* 114, 1-20.

Kirkpatrick, J.B. (1982) Phytogeographical analysis of Tasmanian alpine floras. *Journal of Biogeography* 9, 251-271.

Kirkpatrick, J.B. (1983) Treeless plant communities of the Tasmanian high country. *Proceedings of the Ecological Society of Australia* 12, 61-77.

Kirkpatrick, J.B. (1984) Altitudinal and successional variation in the vegetation of the West Coast Range, Tasmania *Australian Journal of Ecology* 9, 81-91.

Kirkpatrick, J.B. (1984) Tasmanian high mountain vegetation. II. Rocky Hill and Pyramid Mountain. *Papers and Proceedings of the Royal Society of Tasmania* 118, 5-20.

Kirkpatrick, J.B. (1986) Conservation of plant species, alliances and associations of the treeless high country of Tasmania. *Biological Conservation* 37, 43-57.

Kirkpatrick, J.B. (1986) Tasmanian alpine biogeography and ecology and interpretation of the past. pp. 229-242 In: Barlow, B.A. (ed.). *Flora and Fauna of Alpine Australasia: Ages and origins*. CSIRO, Melbourne.

Kirkpatrick, J.B. (1989) The comparative ecology of mainland Australian and Tasmanian alpine vegetation. pp 127-142 In: R. Good (ed.) *The Scientific Significance of the Australian Alps*, Australian Academy of Science, Canberra.

Kirkpatrick, J.B. (1992) Possible impact of the World Heritage Area management plan on the maintenance of biological diversity. *Tasmanian Naturalist*, 111, 6-10.

Kirkpatrick, J.B. (1997) *Alpine Tasmania: An Illustrated Guide to the Flora and Vegetation*. Oxford University Press, Melbourne, xii + 196 pp.

Kirkpatrick, J.B. (2001) Ecotourism, local and indigenous people, and the conservation of the Tasmanian Wilderness World Heritage Area. *Journal of the Royal Society of N. Z.* 31, 819-829.

Kirkpatrick, J.B. (2002) Factors influencing the spatial restriction of vascular plant species in the alpine archipelagoes of Australia. ,pp. 155-164 In: C. Körner and E.M. Spehn (eds.) *Mountain Biodiversity: a global assessment*. Parthenon Publishing, London.

Kirkpatrick, J.B. (2003) The natural significance of the Australian Alps. pp. 9-14 In: Janet Mackay & Associates (eds.) *Celebrating mountains – Proceedings of an international year of the mountains conference, Jindabyne, Australia, November 25-28 2002*. Australian Alps Liaison Committee, Canberra.

Kirkpatrick, J.B. and Balmer, J. (1991) The vegetation and flora of the Cradle Mountain-Pencil Pine area, Tasmania. *Aspects of Tasmanian Botany Royal Society of Tasmania*, 119-148.

Kirkpatrick, J.B., Bridle, K. and Lynch, A.J.J. (2002) Changes in vegetation and landforms at Hill One, Tasmania. *Australian Journal of Botany* 50, 753-759.

Kirkpatrick, J.B., Bridle, K. and Wild, A. (2002) Succession after fire in alpine vegetation on Mount Wellington, Tasmania. *Australian Journal of Botany* 50, 145–154.

Kirkpatrick, J.B., Bridle, K.L. and Dickinson, K.J.M. (2010) Decades-scale vegetation change in burned and unburned alpine coniferous heath. *Australian Journal of Botany* 58, 453-462.

- Kirkpatrick, J.B. and Bridle, K.L. (1998) Environmental relationships of floristic variation in the alpine vegetation of south-east Australia. *Journal of Vegetation Science* 9, 251-260.
- Kirkpatrick, J.B. and Bridle, K.L. (1999) Environment and floristics of ten Australian alpine vegetation formations. *Australian Journal of Botany* 47, 1-21.
- Kirkpatrick, J.B. and Brown, M.J. (1984) Numerical analysis of Tasmanian higher plant endemism. *Botanical Journal of the Linnean Society London*. 79, 165-183.
- Kirkpatrick, J.B. and Brown, M.J. (1984) The palaeogeographic significance of local endemism in Tasmanian higher plants. *Search* 15, 112-113.
- Kirkpatrick, J.B. and Brown, M.J. (1987) The nature of the transition from sedgeland to alpine vegetation in South West Tasmania: I Altitudinal vegetation change on four mountains. *Journal of Biogeography* 14, 539-50.
- Kirkpatrick, J.B. and Dickinson, K.J.M. (1984) The impact of fire on Tasmanian alpine vegetation and soils. *Australian Journal of Botany* 32, 613-629.
- Kirkpatrick, J.B. and Fowler, M. (1998) Locating likely glacial refugia in Tasmania using palynological and ecological information to test alternative climatic models. *Biological Conservation* 85, 171-182.
- Kirkpatrick, J.B. and Gibson, N.L. (1984) Dynamics of a Tasmanian bolster heath string fen. *Vegetatio* 47, 71-78.
- Kirkpatrick, J.B. and Harwood, C.E. (1980) The vegetation of an infrequently burned Tasmanian mountain region. *Proceedings of the Royal Society of Victoria* 91, 79-107.
- Kirkpatrick, J.B., Hutchinson, M.N. and MacQuillan, P.B. (1993) Alpine ecosystems. pp 73-79 In: S. Smith and M.R. Banks (eds). *Tasmanian Wilderness -World Heritage Values*, Royal Society of Tasmania, Hobart.
- Kirkpatrick, J.B. and Mackie, R., (1991) *Cradle Mountain Pencil Pine 1:25,000. Vegetation Map. Parks, Wildlife and Heritage*, Hobart.
- Kirkpatrick, J.B., Minchin, P. and Davies, J. (1985) Floristic composition and macroenvironmental relationships of Tasmanian vegetation containing bolster plants. *Vegetatio* 63, 89-96.
- Kirkpatrick, J.B., Nunez, M., Bridle, K. and Chladil, M. (1996) Explaining a sharp transition from sedgeland to alpine vegetation on Mount Sprent, south-west Tasmania. *Journal of Vegetation Science* 7, 763-768.



Kirkpatrick, J.B. and Tyler, P. (1988) Tasmanian wetlands and their conservation, pp. 1-16 In: A. MacComb and P.S. Lake (eds.). The Conservation of Australian Wetlands. Surrey Beatty and Sons, Sydney.

Kirkpatrick, J.B. and Whinam, J.P. (1988) Tasmanian high mountain vegetation III. Lake Ewart, Dome Hill and Eldon Bluff, Papers and Proceedings of the Royal Society of Tasmania 122, 145-164.

Körtner, G. and Geiser, F. (1998) Ecology of natural hibernation in the marsupial mountain pygmy-possum (*Burramys parvus*). *Oecologia* 113, 170-178.

Koumoundouros, T., Sumner, J., Clemann, N. and Stuart-Fox, D. (2009) Current genetic isolation and fragmentation contrasts with historical connectivity in an alpine lizard (*Cyclodomorphus praealtus*) threatened by climate change. *Biological Conservation* 142, 992-1002.

Kueffer, C, Alexander, J.M., Daehler, C.C., McDougall, K., Pauchard, A., MIREN Consortium (2009) The Mountain Invasion Research Network (MIREN). Mountain Research Initiative Newsletter no 1 September 2008, 12 – 14.

Kueffer, C., McDougall, K.L. and Daehler, C.C. (2010) Assessment and prevention of non-native plant invasions in mountains. pp. xx-xx In: Spehn EM, Rudmann-Maurer K, Körner C, Maselli D (eds.) *Mountain Biodiversity and Global Change*.

Laake, J., Dawson, M.J. and Hone, J. (2008) Visibility bias in aerial survey: mark-recapture, line-transect or both? *Wildlife Research* 35, 299 – 309.

Land Conservation Council (1977) Report on the alpine study area. Land Conservation Council, Victoria.

Land Conservation Council (1983) Alpine Region review. Land Conservation Council, Melbourne..

Lawrence, R.E. (1989) The highest cave in Australia moves mountains. *Nargun*, 22, 18,19

Lawrence, R.E. (1990) Alpine region conservation study: Water utilisation in the Victorian Alps. Report to the Historical Places Section of the Department of Conservation, Forests and Lands

Lawrence, R.E. (1990) The interaction between the environment, land use and hydrology of the Bogong High Plains Area from 1850 to 1985. Ph.D. Thesis, Department of Geography, University of Melbourne

Lawrence, R.E. (1981) Effects of the 1939 bushfire on the summer hydrology of the Bogong High Plains. B.Sc.(Hons) Thesis, Department of Geography, University of Melbourne

Lawrence, R.E. (1992) The use and abuse of water in the Victorian Alps. pp. 295-308 In: B. Scougall. (ed.) Cultural Heritage of the Australian Alps. Proceedings of the Symposium held at Jindabyne, New South Wales, 16-18 October 1991. Australian Alps Liaison Committee (Canberra):

Lawrence, R.E. (1994) Environmental changes on the Bogong High Plains, 1850s to 1990s. pp. 167-197 In: S. Dovers (ed.) Australian Environmental History: Essays and Cases. O.U.P. Melbourne.

Lawrence, R.E. (1995) The effects of grazing activity on the hydrology of the Bogong High Plains, Australia. *Rangeland Journal* 17, 138 - 153.

Lawrence, R.E. (1999) Vegetation changes on the Bogong High Plains from the 1850s to 1950s. *Proceedings and Transactions of the Royal Society of Victoria* 111, xxix-lii.

Lawrence, R.E. (1999) The impact of land cover changes on hydrological sustainability in the Victoria alpine area. *Proceedings & Transactions of the Royal Society of Victoria*, 111, ix-xxii.

Lawrence, R. E. (2001) The impacts of hydro-electric construction works on the hydrology of a subalpine area in Australia. *Environmental Geology* 40, 612.

Lawrence, R.E., Rutherford, I., Ghadirian, P., White, M., Coates, F. and Thomas, I. (2009) The geography and hydrology of high country peatlands in Victoria Part 1. Geography and classification. Technical Report 173, Arthur Rylah Institute for Environmental Research, Melbourne

Lintermans, M. and Osborne, W.S. (2002) *Wet & Wild: a field guide to the freshwater animals of the southern tablelands and high country of the ACT and NSW*. Environment ACT, Dept Urban Services, Canberra pp262.

Littlejohn M.J. (1963) The breeding biology of the Baw Baw Frog *Philoria frosti* Spencer. Proceedings of the Linnean Society of New South Wales 88, 273-276.

Lochert, P.B. & Lawrence, R.E. (1985) A land use history and statistical analysis of the hydrology of the Bogong High Plains. Department of Conservation Forests and Lands Environmental Studies Series Publication No. 410. D.C.F.& L. (Melbourne)

Longmore W. (1973) Birds of the alpine region, Kosciusko National Park. Australian Birds 8, 33-35.

Lynch, A.J.J. and Kirkpatrick, J.B. (1995) Pattern and process in alpine vegetation and landforms at Hill One, Southern Range, Tasmania. Australian Journal of Botany 43, 537-554.

McBain, M. (1998) The history and natural history of Mount Buffalo in pictures, Victorian Naturalist 115, 242-4

Macdonald, T. (2009) Sphagnum bog mapping and recovery plan. Technical Report 20, Territory and Municipal Services, ACT Government, Canberra. Pp 21

McDougall KL (1982) The alpine vegetation of the Bogong High Plains. Environmental Studies Publication No. 357, Ministry for Conservation, Victoria.

McDougall, K.L. (1989) The Effect of Excluding Cattle from a Mossbed on the Bogong High Plains, Victoria. Arthur Rylah Institute for Environmental Research Technical Report Series No. 90. Department of Conservation, Forests and Lands, Victoria.

McDougall, K.L. (2001) The colonisation by alpine native plants of a stabilised road verge on the Bogong High Plains, Victoria. Ecological Management and Restoration 2, 47-52.

McDougall, K.L. (2001) Growth rates of *Sphagnum cristatum* in a Victorian subalpine bog and the effect of *Sphagnum* harvesting. Ecological Management and Restoration 2, 152-154.

McDougall, K.L. (2003) Aerial photographic interpretation of vegetation changes on the Bogong High Plains, Victoria, between 1936 and 1980. Australian Journal of Botany 51, 251-256.

McDougall, K.L. (2005) Recovery of an eroding peat surface on the Bogong High Plains, Victoria. *Ecological Management and Restoration* 6, 217-219.

McDougall, K.L. (2007) Grazing and fire in two subalpine peatlands. *Australian Journal of Botany* 55, 42-47.

McDougall, K.L., Alexander, J.M., Haider, S., Pauchard, A., Walsh, N.G., Kueffer, C. (2011) Alien flora of mountains: global comparisons for the development of local preventive measures against plant invasions. *Diversity and Distributions* 17, 103 - 111.

McDougall, K.L. and Appleby, M.L. (2000) Plant invasions in the high mountains of north-eastern Victoria. *Victorian Naturalist* 117, 52-59.

McDougall, K.L., Brookhouse, M., and Broome, L.S. (2012) Dendroclimatological investigation of mainland Australia's only alpine conifer, *Podocarpus lawrencei* Hook.f.. *Dendrochronologia* (in press).

McDougall, K.L. and Broome, L.S. (2007) Challenges facing protected area planning in the Australian Alps in a changing climate. pp. 73-84 In 'Protected Areas: Buffering nature against climate change'. Proceedings of a WWF-Australia and IUCN World Commission on Protected Areas symposium, Canberra 18-19 June 2007. Edited by Taylor M. & Figgis P. WWF Australia, Sydney.

McDougall, K.L., Haider, S., Seipel, T., Kueffer, C., MIREN Consortium (2009) Spread of non-native plant species into mountains: now is the time to act. *Mountain Forum Bulletin* 9 (2), 23-25.

McDougall, K.L., Khuroo, A.A., Loope, L.L., Parks, C.G., Pauchard, A., Reshi, Z.A., Rushworth, I. and Kueffer, C. (2011) Plant invasions in mountains: global lessons for better management. *Mountain Research and Development* (in press).

McDougall, K.L., Morgan, J.W., Walsh, N.G. and Williams R.J. (2005) Plant invasions in treeless vegetation of the Australian Alps. *Perspectives in Plant Ecology, Evolution and Systematics* 7, 159-171.

McDougall, K.L. and Summerell, B.A. (2005) Unusual 'outbreaks' of a diatom (*Flabellaria flocculosa*) in the Australian Alps. *Victorian Naturalist* 122, 202-203.

McDougall, K.L. and Walsh, N.G. (2002) The flora of Nungar Plain, a treeless sub-alpine frost hollow in Kosciuszko National Park. *Cunninghamia* 7, 601-610.

McDougall, K.L. and Walsh, N.G. (2007) Treeless vegetation of the Australian Alps. *Cunninghamia* 10, 1-57.

McDougall, K.L. and Walsh, N.G. (2008) A conspectus of high-country *Craspedia* (Asteraceae: Gnaphalieae) of mainland south-eastern Australia. *Muelleria* 26, 3-10.

McDougall, K.L., Wimbush, D.J. and Woods, D. (2002) The native vascular flora above the winter snowline in the Snowy Mountains. pp 126-133 In Green, K.(ed.) *Biodiversity in the Snowy Mountains*. Australian Institute of Alpine Studies, Jindabyne.

McDougall, K.L. and Wright, G.T. (2004) The impact of trampling on fieldmark vegetation in Kosciuszko National Park, New South Wales. *Australian Journal of Botany* 52, 315-320.

McKay R.J. (1974) The wolf spiders of Australia (Araneae: Lycosidae): 4. Three new species from Mount Kosciusko, N.S.W. *Memoirs of the Queensland Museum* 17, 27-36.

McKenzie, G.M. (1997) The late Quaternary vegetation history of the south-central highlands of Victoria, Australia. I. Sites above 900m. *Australian Journal of Ecology* 22, 19-36.

McKeown, K.C. (1946) Report on the Entomology. In: Report to the trustees of Kosciusko State Park by the joint scientific committee of the Linnean Society of N.S.W. and the Royal Zoological Society of N.S.W.

McKeown, K.C. (1951) Field notes on some insects of the Mount Kosciusko area. *Australian Zoologist* 2, 333-337.

McLuckie, J. and Petrie A.H.K. (1927) The vegetation of the Kosciusko plateau. *Proceedings of the Linnean Society of New South Wales* 52, 188-219.

McMullan-Fisher, S.J.M., Kirkpatrick, J.B., May, T.W. and Pharo, E.J. (2010) Surrogates for macrofungi and mosses in reservation planning. *Conservation Biology* 24, 730-736.

McMullan-Fisher, S.J.M., May, T.W. and Kirkpatrick, J.B. (2003) Some macrofungi from alpine Tasmania. *Australasian Mycologist* 22, 44-52.

Macphail, M.K. (1975) Late Pleistocene environments in Tasmania, *Search* 6, 295-299.

Macphail, M.K. (1979) Vegetation and climates in southern Tasmania since the last glaciation, *Quaternary Research* 11, 306-341.

Macphail, M.K. (1986) "Over the Top": pollen-based reconstructions of past alpine flora and vegetation in Tasmania. pp. 173-204 in B.A. Barlow (ed.) *Flora and Fauna of Alpine Australia: Ages and Origins*. CSIRO, Melbourne.

Macphail, M.K. and Colhoun, E.A. (1985) Late last glacial vegetation, climates and fire activity in southwest Tasmania. *Search* 16, 43-45.

Macphail, M.K. and Hope, G.S. (1985) Late Holocene mire development in montane southeastern Australia: a sensitive climatic indicator. *Search* 15, 344-349.

McPherson, D. (1998) Late Pleistocene and modern periglacial landforms of Mt Ginini, ACT/NSW border. BSc Honours thesis, Dept Geology, Australian National University.

McQuillan, P.B. (1986) Trans-Tasman relationships in the highland moth (Lepidoptera) fauna. pp. 263-276. In: B.A. Barlow (ed.) *Flora and Fauna of alpine Australia: Ages and Origins*. CSIRO, Melbourne.

Maiden J.H. (1899) A contribution towards a flora of Mount Kosciusko. Agricultural Gazette N.S.W. 10, 1001.

Malone B.S. (1985) Mortality during the early life history stages of the Baw Baw Frog, *Philoria frosti* (Anura: Myobatrachidae). pp 1-5 In: G. Grigg, R. Shine and H. Ehmann (eds.) Biology of Australasian Frogs and Reptiles. Royal Zoological Society N.S.W., Sydney.

Malone B.S. (1985) Status, distribution and ecology of the Baw Baw Frog (*Philoria frosti*). Arthur Rylah Institute for Environmental Research, Technical Report Series No. 36.

Mallen-Cooper, J. and Pickering C.M. (2008). Decline in species richness and cover of exotic plants with increasing altitude depends on life-history strategy and life-forms. Victorian Naturalist 125, 64-75.

Mallen-Cooper, J. and Pickering C.M. (2008). Linear decline in exotic and native species richness along an increasing altitudinal gradient in the Snowy Mountains, Australia. Austral Ecology 33: 684-690.

Mansergh, I. (1982). Notes on the range extension of the alpine water skink (*Sphenomorphus kosciuskoi*) in Victoria. Victorian Naturalist 99, 123-124.

Mansergh, I.M. (1983) Attempts to locate the Mountain Pygmy (*Burramys parvus*) in the Mt Hotham Mt Loch-western Bogong High Plains areas, November 1982-February 1983. Arthur Rylah Institute for Environmental Research, Technical Report Series. No. 6.

Mansergh, I.M. (1985) A technique for trapping under the snow in alpine environments. Victorian Naturalist 102, 55-57.

Mansergh, I.M. (1984) Ecological studies and conservation of *Burramys parvus*. Pp. 545-552 In: A.P. Smith and I.D. Hume (eds.) Possums and Gliders. Surrey Beatty & Sons, Chipping Norton, NSW.

Mansergh, I. (1988) The conservation and management of the Mountain Pygmy-possum (*Burramys parvus*) in Victoria with reference to New South Wales. PhD. Thesis, La Trobe University, Melbourne.

Mansergh, I.M. (1995) Mountain Pygmy-possum. Pp. 95-96 In: Menkhorst, P.W. (ed). Mammals of Victoria: Distribution, ecology and conservation. Oxford University Press, Melbourne.

Mansergh, I.M., Baxter, B, Scotts, D., Brady, T and Jolley, D. (1990) Diet of the Mountain Pygmy-possum *Burramys parvus* (Marsupialia: Burramyidae) and other

small mammals in the alpine environment at Mt. Higginbotham, Victoria. *Australian Mammalogy* 13, 167-177.

Mansergh, I and Bennett, S. (1989) "Greenhouse" and wildlife management. *Victorian Naturalist* 106, 248-52.

Mansergh, I. and Broom, L. (1994) *The Mountain Pygmy-possum of the Australian Alps*. University of NSW Press: Sydney.

Mansergh, I. and Cheal, D. (2007) Protected area planning and management for eastern Australian temperate forests and woodland ecosystems under climate change – a landscape approach, Chapter 8 in Taylor M & Figgis P (eds.) *Protected areas: buffering against climate change*. Proceedings of a WWF and IUCN World Commission on Protected Areas symposium: 18-19 June 2007, Canberra. WWF Sydney.

Mansergh, I.M., Kelly P. and Scotts D.J. (1989) Management strategy and guidelines for the conservation of the Mountain Pygmy-possum (*Burramys parvus*) in Victoria. Arthur Rylah Instit. Env. Res. Tech. Rep. 66.

Mansergh, I.M. 1985 and Scotts, D..J. (1986) Winter occurrence of the Mountain Pygmy-possum (*Burramys parvus*) (Broom) (Marsupialia: Buramyidae) on Mt Higginbotham, Victoria. *Australian Mammalogy* 9, 35-42.

Mansergh, I.M. and Scotts D.J., (1989) Habitat continuity and social organization of the Mountain Pygmy-possum (*Burramys parvus*) restored by tunnel. *Journal of Wildlife Management* 53, 701-707.

Mansergh, I.M. and Scotts, D.J. (1990) Aspects of the life history and breeding biology of the Mountain Pygmy-possum, *Burramys parvus*, (Marsupialia: Burramyidae) in alpine Victoria. *Australian Mammalogy* 13, 179-191.

Mansergh, I.M. and Walsh, N.G. (1983) Observations on the Mountain Pygmy Possum, *Burramys parvus*, on Mt. Higginbotham, Victoria. *Victorian Naturalist* 100, 106-115.

Marchant, H. J. (1982) Snow algae from the Australian Snowy Mountains, *Phycologia* 21, 178-184

Marchant, H.J.(1998) Life in the snow: algae, fungi and bacteria. pp. 83-97  
In: Green, K (ed.) *Snow, a natural history: an uncertain future*. Surrey Beatie & Sons, Chipping Norton,

Markgraf, V., Bradbury, J.P. and Busby, J. R. (1986) Paleoclimates in southwest Tasmania during the last 13,000 years, *Palaios* 1, 368-380.



Marsland A. (1977) Birds in winter in the Kiewa Valley, Victoria, above 530 metres. *Emu* 77, 33.

Martin, A.R.H. (1985) Alpine vegetation and  $^{14}\text{C}$  chronology, Kosciusko National Park, Australia ca. 15,000 - ca. 7,000 B. P., pp. 13-15 in B. Pillans (ed.), *Proceedings of the Second Climanz Conference, Harihari, Westland, New Zealand, Feb. 4-8, 1985*, Geology Department Publication No. 31, University of Wellington,.

Martin, A.R.H. (1986) Late glacial and early Holocene vegetation of the alpine zone, Kosciusko National Park. pp 161-172 In: B.A. Barlow (ed.) *Flora and Fauna of Alpine Australasia: Ages and Origins*. CSIRO, Melbourne.

Martin, A.R.H. (1986) Late glacial and Holocene alpine pollen diagrams from the Kosciusko National Park, New South Wales, Australia, *Review of Palaeobotany and Palynology* 47, 367-409.

Martin, A.R.H. (1999) Pollen analysis of Digger's Creek Bog, Kosciuszko National Park: Vegetation history and tree-line change. *Australian Journal of Botany* 47, 725-744.

Matthews, A. (2010) Changes in fine-scale movement and foraging patterns of common wombats along a snow depth gradient. *Wildlife Research* 37, 175-182.

Matthews, A. (2011) Climate change influences on the distribution and resource use of common wombats *Vombatus ursinus* in the Snowy Mountains, Australia. PhD thesis. Charles Sturt University, Albury.

Matthews, A. and Green, K. (In press) Seasonal and altitudinal influences on the home range and movements of common wombats in the Australian Snowy Mountains. *Journal of Zoology*.

Matthews, A., Spooner, P. and Lunney, D. (In press) Herbivores in alpine herbfields: will wombats shift to higher altitudes with climate change? In: D. Lunney and P. Hutchings (eds.) *Wildlife and Climate Change: towards robust conservation strategies for Australian fauna*, Royal Zoological Society of New South Wales, Mosman.

Matthews, A., Spooner, P.G., Lunney, D., Green, K. and Klomp, N.I. (2010) The influences of snow cover, vegetation and topography on the upper range limit of common wombats *Vombatus ursinus* in the subalpine zone, Australia. *Diversity and Distributions* 16, 277-287.

Melville, J. (2002) Competition and character displacement in two species of scincid lizards. *Ecological Letters* 5, 386-393.

Melville, J. and Swain, R. (1997) Daily and seasonal activity patterns in two species of high altitude skink, *Niveoscincus microlepidotus* and *N. metallicus*, from Tasmania. *Journal of Herpetology* 31, 29-37.

Mendel, L.C. and Kirkpatrick, J.B. (2002) Historical progress of biodiversity conservation in the protected-area system of Tasmania, Australia. *Conservation Biology*, 16, 1-11.

Mitchell, A.T. and Chick, R.R. (2002) A survey of insectivorous bats for the Snowy Mountains Biodiversity Blitz 12-13 January 2002. pp 113-119 in K. Green (ed.) *Biodiversity in the Snowy Mountains*, Australian Institute of Alpine Studies, Jindabyne.

Mitrovski, P.D.A., Heinze, D., Broome, L., Hoffmann, A.A. and Weeks, A.R. (2007) High levels of variation despite genetic fragmentation in populations of the endangered mountain pygmy-possum, *Burrhamys parvus*, in alpine Australia. *Molecular Ecology* 16, 75-87.

Mitrovski, P.D.A., Hoffmann, A.A., Heinze, D., and Weeks, A.R. (2008) Rapid loss of genetic variation in an endangered possum. *Biology Letters* 4, 134-138.

Mooney, S.D., Watson, J.R. and Dodson, J.R. (1997) Late Holocene environmental change in an upper montane area of the Snowy Mountains, NSW. *Australian Geographer* 28, 185-200.

Moore, J.L., Hauser, C.E., Bear, J.L., Williams, N.S.G. and McCarthy, M.A. (2011) Estimating detection-effort curves for plants using search experiments. *Ecological Applications* 21, 601-607. (Case study is hawkweed on the Bogong High Plains)

Morgan, J.M., Hunter, D., Pietsch, R., Osborne, W. and Keogh, J.S. (2008) Assessment of genetic diversity in the critically endangered Australian corroboree frogs, *Pseudophryne corroboree* and *Pseudophryne pengilleyi*, identifies four evolutionarily significant units for conservation. *Molecular Ecology* 17, 3448-3463.

Morgan, J.W. (2004). Drought-related dieback in four subalpine shrub species, Bogong High Plains, Victoria. *Cunninghamia* 8, 326-330.

Morgan, J.W. and Carnegie, V. (2009). Backcountry huts as introduction points for invasion by non-native species into subalpine vegetation. *Arctic, Antarctic and Alpine Research* 41, 238-245.

Morgan, J.W., Venn, S., Wearne, L., Bartley, M., McMillan, S. (2003) Small-scale patterns of occurrence of *Snow Pratia Pratia gelida* at Hospice Plain, Mount Buffalo National Park. *Victorian Naturalist* 120, 4-9.

Morgan, S., Kirkpatrick, J.B. and di Folco, M-B. (2010) Wind-controlled linear patterning and cyclic succession in Tasmanian Sphagnum mires. *Journal of Ecology* 98, 583-591.

Morrison, C. and Pickering, C.M. (2011) *Climate Change Adaptation in the Australian Alps: Impacts, Strategies, Limits and Management*. Report prepared for the National Climate Change Adaptation Research Facility, Griffith University, Gold Coast.

Morrow P.A. (1977) Host specificity of insects in a community of three co-dominant *Eucalyptus* species. *Australian Journal of Ecology* 2, 89-106.

Morrow, P.A. and La Marche V.C. (1978) Tree ring evidence for chronic suppression of productivity in subalpine *Eucalyptus*. *Science* 201, 1244-1246.

Mount, A. and Pickering, C.M. (2009). Testing the capacity of clothing to act as vector for non-native seed in protected areas. *Journal of Environmental Management*. 91, 168-179.

Musgrave, A. (1930) Mount Kosciusko in summer and winter. *Australian Museum Magazine* 4, 100-108.

Mynott, J.H., Webb, J.M., and Suter, P.J. (2011). Adult and larval associations of the alpine stonefly genus *Riekoperla* McLellan (Plecoptera: Gripopterygidae) using mitochondrial DNA. *Invertebrate Systematics*, 25, 11-21.

Nanson, R. (2010) Development of mountain peatlands in stable equilibrium with open-channel hydraulics: A new concept in peatland formation and maintenance. *Terra Australis* 32, 443-456.

Nanson, R.A., Nanson, G.C. and Huang, H.Q. (2010) Bio-geomorphology and hydraulic geometry of narrow and deep channels in peatland floodplains; evidence for optimization *Geomorphology* 117, 143-154.

New, T.R. and Yen, A.L. (1995) *Vulnerable ecosystems: Victoria's alpine regions*. *Victorian Naturalist* 112, 54-55.

Newall, P. R. (1981) *Plant-environment relationships of Caledonia Fen, Victoria*. BA(Hons) thesis, Geography, Monash University

Newsome, A.E. and Catling, P.C. (1979) Habitat preference of mammals

inhabiting heathlands of warm temperate coastal, montane and alpine regions of southeastern Australia. pp. 301-316 In: Specht R.L. (ed.) *Heathlands and Related Shrublands of the World*. Elsevier, Amsterdam

Nicholls, N. (2005) Climate variability, climate change, and the Australian snow season. *Australian Meteorological Magazine* 54, 177-185.

Norment, C. J. and Green, K. (2004) Breeding ecology of Richard's Pipit (*Anthus novaeseelandiae*) in the Snowy Mountains. *Emu* 104, 327-336

Nunez, M., Kirkpatrick, J.B. and Nilsson, C. (1996) Rainfall estimation in south west Tasmania using satellite images and phytosociological calibration. *International Journal of Remote Sensing* 17, 1583-1600.

Ogilby, J.D. (1896) On a *Galaxias* from Mount Kosciusko. *Proceedings of the Linnean Society of New South Wales* 21, 62-73.

Ollier, C.D. (1986) The origins of alpine landforms in Australasia. pp. 3-26 In: B.A. Barlow (ed.) *Flora and Fauna of Alpine Australasia: Ages and Origins*. CSIRO, Melbourne.

Ollier, C.D. and Wyborn, D. (1989) Geology of alpine Australia. pp. 35-53 In: R. Good (ed. ) *The Scientific Significance of the Australian Alps*, Canberra, Australian Alps Liaison Committee.

Olsson, M. and Shine, R. (1999) Phenotypic plasticity in the frequency of reproduction in the Tasmanian snow skink *Niveoscincus microlepidotus* *Copeia* 1999, 794-796.

Olsson, M. and Shine, R. (1999) Timing of parturition as a maternal care tactic in an alpine lizard species. *Evolution* 52, 1861-1864.

O'Reilly, H., Mansergh, I.M. and Willig R. (1986) Daily pattern of activity of a captive Mountain Pygmy possum (*Burramys parvus*) (Broom) (Marsupialia:Burramyidae). *Australian Mammalogy* 9: 53-5.

Osborne W. S. (1980) Movement over the snow by the bush rat *Rattus fuscipes*. *Victorian Naturalist* 97, 163-164.

Osborne W.S. (1984) Distribution, abundance and habitats of reptiles occurring in the subalpine and alpine zones of Kosciusko National Park. Unpublished report to the National Parks and Wildlife Service of New South Wales.

Osborne W.S. (1989) Distribution, relative abundance and conservation status of Corroboree Frogs, *Pseudophryne corroboree* Moore (Anura: Myobatrachidae) *Australian Wildlife Research* 16, 537-547.

Osborne, W.S. (1992) Rare and endangered: The corroboree frog. Australian Natural History 1992:16-17.

Osborne W.S. and Green K (1992) Seasonal changes in composition, abundance and foraging behaviour of birds in the Snowy Mountains. Emu 92, 93-105.

Osborne, W.S., Davis, M.S. and Green K. (1998) Temporal and spatial variation in snow cover. pp. 56-68. In: Snow: A Natural History; an Uncertain Future. (ed. K. Green) Australian Alps Liaison Committee, Canberra.

Osborne, W.S. and Green, K. (1995) *Cyclodomorphus praealtus* (Reptilia, Squamata): a proposal that availability of the specific name be taken from the intended description by Shea, 1995. Bulletin of Zoological Nomenclature 52(3):257-258.

Osborne, W., Hunter, D. and Hollis, G. (1999) Population declines and range contractions in Australian alpine frogs. pp 145-157 In: A. Campbell (ed.) Declines and Disappearances of Australian Frogs. Environment Australia, Canberra.

Osborne, W, Hunter, D., Marantelli, G. and Green, K. (1999) Implementation of a population augmentation project for remnant populations of the southern corroboree frog (*Pseudophryne corroboree*). pp 158-167 In: A. Campbell (ed.) Declines and Disappearances of Australian Frogs. Environment Australia, Canberra.

Osborne, W.S. and Norman, J.A. (1991) Conservation genetics of Corroboree Frogs, *Pseudophryne corroboree* Moore (Anura: Myobatrachidae): population subdivision and genetic divergence. Australian Journal of Zoology. 39, 285-297.

Osborne, W.S. and Preece, M. (1987) Extension of the range of the Smoky Mouse *Pseudomys fumeus* into the Australian Capital Territory Australian Mammalogy 10, 35-36.

Osborne, W.S., M. Preece, K. Green and M. Green (1978) Gungahran: A winter fauna survey above 1500 metres. Victorian Naturalist 95, 226-35.

Osborne, W.S., Zentelis, R.A. and Lau, M. (1996) Geographical variation in Corroboree frogs, *Pseudophryne corroboree* Moore (Anura: Myobatrachidae): A reappraisal supports recognition of *P. pengilleyi* Wells and Wellington Australian Journal of Zoology 44, 569-587.

Pauchard, A., Kueffer, C., Dietz, H., Daehler, C.C., Alexander, J., Edwards, P.J., Arévalo, J.R., Cavieres, L., Guisan, A., Haider, S., Jakobs, G., McDougall, K.L., Millar, C.I., Naylor, B.J., Parks, C.G., Rew, L.J., Seipel, T. (2009) Ain't no mountain high enough: Plant invasions reaching high elevations. *Frontiers in Ecology and the Environment* 7, 479–486.

Pauchard, A., Kueffer, C., McDougall, K.L., Alexander, J.M., MIREN Consortium (2009) Global networks: a reply to Khuroo et al. *Frontiers in Ecology and the Environment* 7, 518.

Pengilley, R. (1972) Systematic relationships and ecology of some Lygosomine lizards of Southeastern Australia. Ph. D. thesis, Australian National University, Canberra.

Pengilley, R.K. (1971) Calling and associated behaviour of some species of *Pseudophryne* (Anura : Leptodactylidae). *Journal of Zoology London* 163, 73-92.

Pengilley, R.K. (1973) Breeding biology of some species of *Pseudophryne* (Anura: Leptodactylidae) of the Southern Highlands, New South Wales. *Australian Zoologist* 18, 15-30.

Peterson, G. (1957) The locals burnt it to make grass. *Riverlander*, March; 6.

Pharo, E. and Kirkpatrick, J.B., 1994. Vegetation of the alpine sand dunes at Lake Augusta, Tasmania. *Australian Journal of Ecology* 19, 319-327.

Pickering, C.M. (1994) Size-dependent reproduction in some alpine *Ranunculus*. *Australian Journal of Ecology*. 19: 336-334.

Pickering, C.M. (1995) Reproductive ecology of five species of Australian alpine *Ranunculus*. PhD Thesis, Australian National University, Canberra.

Pickering, C.M. (1995) Variation in flowering parameters within and among five species of Australian alpine *Ranunculus*. *Australian Journal of Botany* 43, 103-112.

Pickering, C.M. (1997) Breeding systems of Australian *Ranunculus* in the alpine region. *Nordic Journal of Botany* 17, 613-620.

Pickering, C.M. (1997) Reproductive strategies and constraints of alpine plants as illustrated by five species of Australian alpine *Ranunculus*. *Opera Botanica* 132 101-108.

Pickering, C.M. (2000) Sex specific differences in floral display and resource allocation in Australian alpine dioecious *Aciphylla glacialis*. *Australian Journal of Botany* 48, 81-91.

Pickering, C.M. (2001) Size and sex of floral displays affect insect visitation rates in the dioecious Australian alpine herb, *Aciphylla glacialis*. *Nordic Journal of Botany* 21, 401-409.

Pickering, C.M. (2003) Mountain Tourism in Australia: the results so far from the Cooperative Research Centre for Sustainable Tourism Mountain Tourism Subprogram. Celebrating Mountains Proceeding of an International Year of the Mountains Conference. Australian Alps Liaison Committee, Canberra. November 2002. pp. 295-300. E2 ISBN 0-646-42204-9. E2.

Pickering, C.M. (2007) Climate change and other threats in the Australian Alps. pp. 28-34. In: Taylor, M. and Figgis, P. (eds). *Protected Areas: Buffering Nature Against Climate Change*. Proceedings of a WWF and IUCN World Commission on Protected Areas Symposium, 18-19 June 2007, Canberra. WWF Australia, Sydney.

Pickering, C.M. (2009) Pre-dispersal seed predation by Tephritidae is common among species of Australian alpine Asteraceae. *Arctic, Antarctic and Alpine Research* 41, 339-346.

Pickering, C.M. (2011) Changes in demand for tourism with climate change: A case study of visitation patterns to six ski resorts in Australia. *Journal of Sustainable Tourism*.19, 767-781.

Pickering, C.M., Appleby, M., Good, R., Hill, W., McDougall, K., Wimbush, D. and Woods, D. (2002) Plant Diversity in Subalpine and Alpine Vegetation Recorded in the Thredbo 2002 Biodiversity Blitz. pp. 27-46 In: Green, K. (ed.), *Biodiversity in the Snowy Mountains*. Australian Institute of Alpine Studies, Jindabyne, Australia.

Pickering, C.M. and Armstrong, T. (2000) Climate Change and the Plant Communities of the Kosciuszko Alpine Zone in the Australian Alps. Cooperative Research Centre for Sustainable Tourism, Griffith University, Gold Coast and the Australian Institute of Alpine Studies, Jindabyne.

Pickering, C.M. and Armstrong, T. (2003) Potential impact of climate change on plant communities in the Kosciuszko alpine zone. *Victorian Naturalist* 120, 263-272.

Pickering, C.M. and Arthur, J.M. (2003) Patterns of resource allocation in the dioecious alpine herb *Aciphylla simplicifolia* (Apiaceae). *Austral Ecology* 28, 566-574.

Pickering, C.M. and Ash, J.E. (1993) Gender variation in hermaphrodite plants: evidence from five species of alpine *Ranunculus*. *Oikos* 68, 539-548.

Pickering, C.M. and Barros, A. (in press 2011). Mountain Environments and Tourism. In: Holden A. and Fennell D. Handbook of Tourism and the Environment. Routledge, London.

Pickering, C.M. and Barry, K. (2005) Size/age distribution and vegetative recovery of *Eucalyptus niphophila* (snowgum, Myrtaceae) one year after fire in Kosciuszko National Park. *Australian Journal of Botany* 53, 517-527.

Pickering, C.M. and Buckley, R. (2010) Climate response by ski resorts: the shortcomings of snowmaking *Ambio*. 39, 430-438.

Pickering, C.M. and Buckley, R.C. (2003) Swarming to the summit: managing tourist at Mt Kosciuszko, Australia. *Mountain Research and Development* 23, 230-233.

Pickering, C.M. and Butler, S. (2009) Patterns in vascular plant species density in tall alpine herbfield along an increasing altitudinal gradient in an Australian alpine region. *Australian Journal of Botany* 57, 210-220.

Pickering, C.M., Castley, J.G. and Burt, M. (2010) Skiing less often in a warmer world: Attitudes of tourists to climate change in an Australian ski resort. *Geographical Research* 48, 137-147.

Pickering, C.M. and Grbich, Y. (2005) Backgrounder 16.4. Visitor use data. . p. 438 In: Worboys, G. DeLacy, T. and Lockwood, M. (eds.) Protected Area Management: Principles and Practice, Second Edition. Cambridge University Press, Cambridge, UK.

Pickering, C.M., Good, R. and Green, K. (2004) The Ecological Impacts of Global Warming: Potential Effects of Global Warming on the Biota of the Australian Alps. Australian Greenhouse Office, Canberra. 48 pp. ISBN 1 920 840 19 2.

Pickering, C.M., Green, K. and Bridle, K. (2002) Research on Australia's High Country 1999-2001. Mountain Tourism Report. Cooperative Research Centre for Sustainable Tourism, Griffith University, Gold Coast. 129 pp. ISBN 1 920704 00 0.

Pickering, C.M., Hill, W. and Johnston, F. (2005) Snapshot 14.13 Weeds, tourism, and climate change. pp. 399- 400 In: Worboys, G. DeLacy, T. and Lockwood, M. (eds.) Protected Area Management: Principles and Practice, Second Edition. Cambridge University Press, Cambridge, UK.



Pickering, C.M. and Green, K. (2009) Vascular plant distribution in relation to topography, soils and micro-climate at five GLORIA sites in the Snowy Mountains, Australia. *Australian Journal of Botany* 57, 189-199.

Pickering, C.M. and Growcock, A.J. (2009) Impacts of experimental trampling on tall alpine herbfields and subalpine grasslands, Snowy Mountains, Australia. *Journal of Environmental Management* 91, 532-540

Pickering, C.M., Harrington, J. and Worboys, G.L. (2003) Environmental impacts of tourism on the Australian Alps protected areas: judgments of protected area managers. *Mountain Research and Development* 23, 247-254.

Pickering, C.M., Hill, W. and Bear, R. (2007) Indirect impacts of nature based tourism and recreation: association between infrastructure and exotic plants in Kosciuszko National Park. *Journal of Ecotourism* 6, 146-157.

Pickering, C.M., Hill, W. and Johnston, F. (2003) Ecology of disturbance: the effect of tourism infrastructure on weeds in the Australian Alps. pp. 213-218. In: *Celebrating Mountains: Proceeding of an International Year of the Mountains Conference*. Australian Alps Liaison Committee, Canberra. November 2002.

Pickering, C.M. and Hill, W. (2002) Reproductive ecology and the effect of altitude on sex ratios in the dioecious herb, *Aciphylla simplicifolia* (Apiaceae). *Australian Journal of Botany* 50, 1-12.

Pickering, C.M. and Hill, W. (2003) Ecological change as a result of winter tourism: snow manipulation in the Australian Alps. pp 137-149 In: Buckley, R., Pickering, C.M. and Weaver, D. (eds.) *Nature-based Tourism, Environment and Land Management*. CABI Publishing, New York.

Pickering, C.M. and Hill, W. (2005) Case Study 11.2. Walking track materials research, Kosciuszko National Park. pp. 298-299 In: Worboys, G. DeLacy, T. and Lockwood, M. *Protected Area Management: Principles and Practice*, Second Edition. Cambridge University Press, Cambridge, UK.

Pickering, C.M. and Hill, W. (2007) Roadside weeds of the Snowy Mountains, Australia. *Mountain Research and Development* 27, 359-367.

Pickering, C.M., Hill, W. and Green, K. (2008) Vascular plant diversity and climate change in the alpine zone of the Snowy Mountains, Australia. *Biodiversity and Conservation* 17, 1627–1644.

Pickering, C.M., Johnston, S., Green, K. and Enders, G. (2003). Impacts of nature tourism on the Mount Kosciusko alpine area, Australia. pp 123-135 In:

- Buckley, R., Pickering, C.M. and Weaver, D. (eds.), Nature-based Tourism, Environment and Land Management. CABI Publishing, New York.
- Pickering, C.M., Jordan, M., and Hill, W. (2004). Reproductive ecology of the alpine dioecious species *Astelia alpina* var. *novae-hollandiae* and *Astelia psychrocharis* (Asteliaceae). *Nordic Journal of Botany*. 23, 225-236.
- Pickering, C.M., Kirkwood, A. and Arthur, J.M. (2003) Habitat and sex specific differences in the dioecious weed *Acetosella vulgaris* (Polygonaceae). *Austral Ecology* 28, 396-403.
- Pickering, C.M. and Mount, A. (2010) Do tourists disperse weed seed? A global review of unintentional human-mediated terrestrial seed dispersal on clothing, vehicles and horses. *Journal of Sustainable Tourism* 18, 239-256.
- Pickering, C.M., Mount, A., Wichmann, M.C. and Bullock, J.M. (2011) Estimating human-mediated dispersal of seeds within an Australian protected area. *Biological Invasions* 13, 1869–1880.
- Pickering, C.M., Rossi, S. and Barros, A. (2011) Assessing the impacts of mountain biking and hiking on subalpine grasslands using an experimental protocol. *Journal of Environmental Management* 92, 3049-3057.
- Pickering, C., and Scherrer, P. (2008) Managing tourists on the top of Australia: past, present and future challenges. pp. 319-325. In: R. Dowling & D. Newsome (eds.). *Proceedings of the Inaugural Global Geotourism Conference*, 17-20 August 2008, Fremantle, Australia. ISBN 1 86308 146 1. pp. 319-329.
- Pickering, C.M. and Stock, M. (2004) Insect color preference matches distribution of flower colors in the Australian Alps. *Nordic Journal of Botany* 23, 217-223.
- Raadik, T.A. (2001) Kosciuszko When is a mountain galaxias not a mountain galaxias. *Fishes of Sahul* 15, 785-789.
- Raadik, T.A and Kuitert, R.H. (2002) Kosciuszko Galaxias: a story of confusion and imminent peril. *Fishes of Sahul* 16, 829-835.
- Raine, J. I. (1974) Pollen sedimentation in relation to Quaternary vegetation history of the Snowy Mountains of New South Wales. PhD thesis, Australian National University, Canberra.
- Raine, J. I. (1982) Dimictic thermal regime and morphology of Blue Lake in the Snowy Mountains of New South Wales. *Australian Journal of Marine Freshwater Resources* 33, 1119-1122.

Ratkowsky A.V. (1983) Birds of the Mt. Wellington Bush. *Tasmanian Bird Report* 12, 8-21.

Ratkowsky, A.V. and Ratkowsky, D.A. (1977) The birds of the Mt. Wellington Range, Tasmania. *Emu* 77, 19-22.

Ratkowsky, A.V. and Ratkowsky, D.A. (1978) A survey of the birds of the Mt. Wellington Range, Tasmania, during the non-breeding months. *Emu* 78, 223-226.

Ratkowsky, A.V. and Ratkowsky, D.A. (1987) Mountain birds of Tasmania. *Tasmanian Bird Report* 16, 21-25.

Rawlinson, P.A. (1975) Two new lizard species from the genus *Leiopisma* (Scincidae: Lygosominae) in southeastern Australia and Tasmania. *Memoirs of the National Museum of Victoria* 36, 1-16.

Richardson, A.M.M. and Devitt, D.M. (1984) The distribution of four species of terrestrial amphipods (Crustacea, Amphipoda: Talitridae) on Mt. Wellington, Tasmania. *Australian Zoologist* 21, 143-156.

Ride W.D.L. (1956) The affinities of *Burrarnys parvus* Broom a fossil phalangeroid marsupial. *Proceedings of the Zoological Society London* 127, 413-429.

Roberts, C, Kirkpatrick, J.B. and McQuillan, P.B. (2011) Tasmanian lentic wetland lawns are maintained by grazing rather than inundation. *Austral Ecology* 36, 303–309.

Robertson, D.C., Morgan, J.W., and White. M. (1999) Use of prescribed fire to enhance control of English broom (*Cytisus scoparius*) invading a subalpine snowgum woodland in Victoria. *Plant Protection Quarterly* 14, 51-56.

Ruddell, A.R., Budd, W.F., Smith, I.N., Keage, P.L. and Jones, R. (1990) The south-east Australian alpine climate study. A report by the Meteorology Department, University of Melbourne, for the Alpine Resorts Commission.

Rudkin, K. and Pickering, C.M. (2002) Potential dispersal agents of higher plants in the Kosciuszko alpine area. *Victorian Naturalist* 119, 260-270.

Rumpff, L., Cutler, S.C., Thomas, I. and Morgan, J.W. (2009) An assessment of the relationship between tree-ring counts and basal girth of high altitude populations of *Eucalyptus pauciflora* (Myrtaceae). *Australian Journal of Botany* 57, 583-591.

Russell, R.C. and Brust, R.A. (1996) Snow-melt alpine mosquitoes (Diptera: Culicidae) in New South Wales. *Australian Journal of Entomology* 35, 113-114.

Salter, K.E.W. (1946) Insect-fauna Studies. In: Report to the trustees of Kosciusko State Park by the Joint Scientific Committee of the Linnaean Society of N.S.W. and the Royal Zoological Society of N.S.W.

Sanecki, G. and Green, K. (2005) A technique for detecting winter active small mammals in the subnivean space using hair tubes. *European Journal of Wildlife Research* 51, 41-47.

Sanecki, G. M., Cowling, A., Green, K., Wood, H. and Lindenmayer, D. B. (2006) Winter distribution of small mammals in relation to snow cover in the subalpine zone, Australia. *Journal of Zoology* 269, 99-110.

Sanecki, G. M., Green, K., Wood, H. and Lindenmayer, D. B. (2006) The characteristics and classification of Australian snow cover: an ecological perspective. *Arctic, Antarctic and Alpine Research* 38, 429-435.

Sanecki, G. M., Green, K., Wood, H. and Lindenmayer, D. B. (2006) The implications of snow-based recreation for small mammals in the subnivean space in south-east Australia *Biological Conservation* 129, 511-518.

Sanecki, G. M., Green, K., Wood, H., Lindenmayer, D. B. and Sanecki, K.L. (2006) The influence of snow cover on home range and activity of the bush rat (*Rattus fuscipes*) and the dusky antechinus (*Antechinus swainsonii*) *Wildlife Research* 33, 489-496.

Scherrer, P. and Pickering, C. (2001) Effects of grazing, tourism and climate change on the alpine vegetation of Kosciuszko National Park. *Victorian Naturalist* 118, 93-99.

Scherrer, P. and Pickering, C.M. (2005) Case study 6.4. Using historical long-term vegetation studies for management and restoration. p. 175 In: Worboys, G. DeLacy, T. and Lockwood, M. *Protected Area Management: Principles and Practice*, Second Edition. Cambridge University Press, Cambridge, UK.

Scherrer, P. and Pickering, C.M. (2005) Recovery of alpine vegetation from grazing and drought: Data from long term photoquadrats in Kosciuszko National Park, Australia. *Arctic, Antarctic and Alpine Research* 37, 574-584.

Scherrer, P. and Pickering, C.M. (2006) Recovery of alpine herbfield on a closed walking track in the Kosciuszko Alpine Zone, Australia. *Arctic, Antarctic and Alpine Research* 38, 239-248.

Scherrer, P. and Pickering, C.M. (2010) The Australian Alps: opportunities and challenges for geotourism. pp. 77-87 In; Newsome, D. and Dowling, R. Geotourism: the Tourism of Geology and Landscape. Goodfellow Publishers, London.

Schreider, S Y, Jakeman, A J, Whetton, P H and Pittock, A B (1997) Estimation of climate impact on water availability and extreme events for snow-free and snow-affected catchments of the Murray-Darling Basin, Australian Journal of Water Resources 2, 35-46.

Schreider, S Y, Whetton, P H, Jakeman, A J and Pittock, A B (1997) Runoff modelling for snow-affected catchments in the Australian alpine region, eastern Victoria, Journal of Hydrology 200, 1-23.

Schulz, M. (1991) Observations on birds in Snow Gum woodland and alpine heathland during mid winter in south-eastern Australia. Australian Bird Watcher 14, 95-102.

Schulz, M., Alexander, J. and Mansergh, I. (1995) Notes on the alpine she-oak skink (*Cyclodomorphus praealtus*) in the Mt Hotham area, Alpine Victoria, with a description of a potential new survey technique. Victorian Naturalist 112, 219-220.

Schulz, M. and Mansergh, I. (1997) New locations for the alpine she-oak skink *Cyclodomorphus praealtus* in Victoria Victorian Naturalist 114, 178-179.

Seamer, D. (2007) Testate Amoebae (Rhizopoda, Protozoa) in Sphagnum bogs from Southeastern Australia. Technical Report Murray Darling Freshwater Research Centre, Wodonga . 26pp.

Seebeck J. H. (1971) Distribution and habitat of the broad-toothed rat *Mastacomys fuscus* Thomas (Rodentia, Muridae) in Victoria. Victorian Naturalist 88, 310-323.

Seipel, T., Kueffer, C., Rew, L., Daehler, C.C., Pauchard, A., Naylor, B.J., Alexander, J.M., Parks, C.G., Edwards, P.J., Arevalo Sierra, J.R., Cavieres, L., Dietz, H., Jakobs, G., McDougall, K.L., Otto, R., Walsh, N.G. (in press 2012) Processes at multiple scales affect non-native plant species richness and similarity in mountains around the world. Global Ecology and Biogeography.

Shannon, J.M. and Morgan, J.W. (2007) Floristic variation in Sphagnum-dominated peatland communities of the Central Highlands, Victoria. Cunninghamia 10, 59-76.

Sharp, A. J. (1992) A Palaeoenvironmental reconstruction and assessment of human impact in the Alpine region of Kosciusko National Park, New South Wales, Australia. Honours Thesis, UNSW. Kensington

Shepherd, R.R. (1973) Land use on the Central Plateau with special reference to the grazing industry. pp. 161- 176 in M. Banks (ed. ), The Lake Country of Tasmania. Royal Society of Tasmania, Hobart.

Shine R. (1981) Venomous snakes in cold climates: ecology of the Australian genus *Drysdalia* (Serpentes : Elapidae). *Copeia* 1981, 14-25.

Shine, R. (2004) Incubation regimes of cold-climate reptiles: the thermal consequences of nest site choice, viviparity and maternal basking. *Biological Journal of the Linnean Society* 83, 145-155.

Shine, R., Elphic, M.J. and Barrott, E.G. (2003) Sunny side up: lethally high, not low, nest temperatures may prevent oviparous reptiles from reproducing at high elevations. *Biological Journal of the Linnean Society* 78, 325-334.

Silvester. E. (2009) Ionic regulation in an alpine peatland in the Bogong High Plains, Victoria, Australia. *Environmental Chemistry* 6, 424-431.

Silvey G.E. (1980) Shrimps in high places. *Australian Natural History* 20, 71-74.

Slattery, D. A. (2009) Bushwalking and access: The Kosciusko primitive area debate 1943-6. *Australian Journal of Outdoor Education*, 13, 2, 14-23.

Slattery, D. A. (2010) Science and land use: The Kosciusko primitive area dispute of 1958-65. *Environment and History*, 16, 4, 409-430.

Slattery, D. A. (In press 2010) Baldur Byles: A forester above the treeline. *Proceedings of 8<sup>th</sup> National Conference of the Australian Forest History Society held at Lismore NSW, July 2010.*

Slattery, B. J. and Slattery, D. A. (2005) Rights of conquest: some reflections on the cultural obstacles to restricting access in national parks. *Australian Studies*. British Australian Studies Association. Kingston-Upon-Thames, UK.

Slattery, B. J. and Slattery, D. A. (2005) Exclusion or engagement? Cultural obstacles to restricting access in national parks. *Historic Environment Journal*. Canberra: Department of the Environment and Heritage.

Slatyer R.O., Cochrane P.M. and Galloway R.W. (1984) Duration and extent of snow cover in the Snowy Mountains and a comparison with Switzerland. *Search* 15, 327-331.

- Smith, J.M.B.C. (1986) Origins of Australasian tropicalalpine and alpine floras. pp. 109-128 In: B.A. Barlow (ed.) Flora and Fauna of Alpine Australasia: Ages and Origins. CSIRO, Melbourne.
- Smith, M.J., Osborne,W. and Hunter, D. (2003) Geographic variation in the advertisement call structure of *Litoria verreauxii* (Anura: Hylidae). *Copeia* 2003, 750-758.
- Spellerberg, I.F. (1972). Temperature tolerances of Southeast Australian reptiles examined in relation to reptile thermoregulatory behaviour and distribution. *Oecologia* 9,23-46.
- Spellerberg, I.F. (1972). Thermal ecology of allopatric lizards (*Sphenomorphus*) in Southeast Australia. II. Physiological aspects of thermoregulation. *Oecologia* 9, 385-398.
- Spellerberg, I.F. (1972). Thermal ecology of allopatric lizards (*Sphenomorphus*) in Southeast Australia. III. Behavioural aspects of thermoregulation. *Oecologia* 11, 1-16.
- Stanley, S. and De Deckker, P. (2001) A Holocene record of allochthonous, aeolian mineral grains in an Australian alpine lake; implications for the history of climate change in southeastern Australia. *Journal of Paleolimnology* 27, 207-219.
- Stock, M. and Pickering, C.M. (2002) Seasonal and altitudinal differences in the abundance and species richness of some flying macroinvertebrates in Kosciuszko National Park, Australia. *Victorian Naturalist*. 119: 230-235.
- Suter, P., St. Clair, R., Hawking, J. and Bryce, C. (2002) Aquatic macroinvertebrates from streams in the Mt. Kosciuszko area. pp. 90-97 In: K. Green (ed.) Biodiversity in the Snowy Mountains. Australian Institute of Alpine Studies, Jindabyne.
- Suter, P.J. and McGuffie, P. (2007) Conservation of Mayflies (Ephemeroptera) especially *Coloburiscoides* in the Victorian Alps: Impediments and Threats. *Victorian Naturalist* 124, 273-277.
- Suter, S.G., Rees, G.N., Watson, G.O., Suter, P.J. and Silvester, E. (2011) Decomposition of native leaf litter by aquatic hyphomycetes in an alpine stream. *Marine and Freshwater Research* 62, 841-849
- Swarbreck, E. (1946) Notes on insect life at Mount Buffalo. *Victorian Naturalist* 63, 19-23.

Talent, J.A. (1965) Geomorphic forms and processes in the highlands of eastern Victoria. *Proceedings of the Royal Society of Victoria* 78, 119-134.

Thomas, A. (1991) Giandarra Bog, NSW – a natural record of environmental change.. BSc(Hons) thesis, ADFA, UNSW, Canberra.

Thomas, D.G. (1987) The effect of hard weather on bird abundance. *Tasmanian Bird Report* 16, 17-20.

Thomas, I. and Hope, G. S. (1994) An example of Holocene vegetation stability from Camerons Lagoon, a near treeline site on the Central Plateau, Tasmania. *Australian Journal of Ecology* 19, 150-158.

Thompson, J. (1981) A key to the plants of the subalpine and alpine zones of the Kosciusko region. *Telopea* 2, 219-297.

Tilzey, R.D.J. (1976) Observations on interactions between indigenous Galaxiidae and introduced Salmonidae in the Lake Eucumbene catchment, New South Wales. *Australian Journal of Marine and Freshwater Research* 27, 551-564.

Timms, B.V. (1980) The benthos of Kosciusko glacial lakes. *Proceedings of the Linnean Society of New South Wales* 104, 119-125.

Tolsma, A.D., Read, S.M. and Tolhurst, K.G. (2007) Roots of Australian alpine plant species contain high levels of stored carbohydrates independent of post-fire regeneration strategy. *Australian Journal of Botany* 55, 771-779.

Tolsma, A.D., Tolhurst, K.G. and Read, S.M. (2010) Effects of fire, post-fire defoliation, drought and season on regrowth and carbohydrate reserves of alpine snowgrass *Poa fawcettiae* (Poaceae). *Australian Journal of Botany* 58, 157-168.

Tolsma, A.D. (2002) The effects of fire and grazing on the energy reserves of resprouting plants in Victoria's alpine grasslands. PhD Thesis, The University of Melbourne.

Troughton, E. (1946) Report on the mammals. In: Report to the trustees of Kosciusko State Park by the Joint scientific committee of the Linnean Society of N.S.W. and the Royal Zoological Society of N.S.W.



Turner A. (1980) The Conservation Status of Kosciusko National Park  
Government Printer Sydney.

Turner, J.S., Crocker, R.L., Evans, J.W., and Costin, A.B. (1957) A Report on the  
Condition of the High Mountain Catchment of New South Wales and Victoria.  
Australian Academy of Science, Canberra.

Van de Geer, G., Fitzsimons, S.J. and Colhoun, E.A. (1989) Holocene to middle  
last glaciation vegetation history at Newall Creek, western Tasmania, New  
Phytologist 111, 549-558.

van Rees, H., Papst, W.A., McDougall, K.L. and Boston, R.C. (1985) Trends in  
vegetation cover in the grassland community on the Bogong High Plains,  
Victoria. Australian Rangeland Journal 7, 93-98.

Venn, S.E. (2001) Environmental determinants of vegetation patterns in  
snowpatch communities on the Bogong High Plains, Victoria. Honours thesis.  
Department of Botany, La Trobe University, Bundoora, Victoria.

Venn, S.E. (2007) Plant recruitment across alpine summits in south-eastern  
Australia. PhD thesis. Department of Botany, La Trobe University, Bundoora,  
Victoria.

Venn, S.E., Green, K., Pickering, C.M. and Morgan, J.W. (2011) Using plant  
functional traits to explain community composition across a strong environmental  
filter in Australian alpine snowpatches. Plant Ecology 212, 1491-1499.

Venn, S.E. and Morgan, J.W. (2007) Phytomass and phenology of three alpine  
snowpatch species across a natural snowmelt gradient Australian Journal of  
Botany 55, 450–456

Venn, S.E. and Morgan, J.W. (2009) Germination characteristics of Mountain  
Celery *Aciphylla glacialis* (F. Muell.) Benth. (Apiaceae). Victorian Naturalist 126.  
4-12

Venn, S.E. and Morgan, J.W. (2009) Patterns in alpine seedling emergence and  
establishment across a stress gradient of mountain summits in south-eastern  
Australia. Plant Ecology and Diversity 2, 5–16

Venn, S.E. and Morgan, J.W. (2010) Soil seedbank composition and dynamics  
across alpine summits in south-eastern Australia. Australian Journal of Botany  
58, 349-362.

Venn, S.E. and Morgan, J.W. (2005) Patterns in alpine vegetation across an altitudinal gradient in Victoria, Australia: an example of 'space for time substitution' in order to assess the potential effects of climate change. pp 165-166 In MF Price (ed.). Global Change in Mountain Regions. Sapiens Publishing, Duncow,

Venn, S.E., Morgan, J.W. and Green, P.T. (2009) Do facilitative interactions with neighboring plants assist the growth of seedlings at high altitudes in alpine Australia? *Arctic, Antarctic and Alpine Research* 41, 381-387.

Wahren, C.-H., Williams, R.J. and Papst, W.A. (2001) Alpine and subalpine snow patch vegetation on the Bogong High Plains, SE Australia. *Journal of Vegetation Science* 12, 779-790

Wahren, C-H., Williams, R.J. and Papst, W.A. (2001). Vegetation change and ecological processes in alpine and subalpine Sphagnum bogs of the Bogong High Plains, Victoria, Australia. *Arctic, Antarctic and Alpine Research* 33, 357-368.

Wahren, C-H., Papst, W.A. and Williams, R.J. (2001) Early post-fire regeneration in sub-alpine heathland and grassland in the Victorian Alpine National Park, south-eastern Australia. *Austral Ecology* 26, 670-679.

Wahren, C-H., Williams, R.J. and Papst, W.A. (1999) Alpine and subalpine wetland vegetation on the Bogong High Plains, south-eastern Australia. *Australian Journal of Botany* 47, 165-188.

Wahren, C-H., Williams, R.J. and Papst, W.A. (2000) Alpine and subalpine snow patch vegetation on the Bogong High Plains, SE Australia. *Journal of Vegetation Science* 12, 779-790.

Wahren, C-H., Papst W.A. and Williams, R.J. (1994) Long-term vegetation change in relation to cattle grazing in subalpine grassland and heathland on the Bogong High Plains: an analysis of vegetation records from 1945 to 1994. *Australian Journal of Botany* 42, 607- 639.

Wahren, C-H., Walker, M.D., and Bret-Harte, M.S. (2005) Vegetation responses in Alaskan arctic tundra after 8 years of a summer warming and winter snow manipulation experiment. *Global Change Biology* 11, 537-552.

Wahren, C-H.A., Papst, W.A. and Williams, R.J. 2001. Early post-fire regeneration in subalpine heathland and grassland in the Victorian Alpine National Park, south-eastern Australia. *Austral Ecology* 26, 670-679.

Walford, F. (1928) The mountain minnow. Australian Museum Magazine 3, 274-277.

Walford, F. (1940) The mountain minnow. Some additional notes. Australian Museum Magazine 7, 234-237.

Walsh, N.G., Barley, R.H. and Gullan, P.K. (1984) The alpine vegetation of Victoria (excluding the Bogong High Plains region). Environmental Studies Publication Number 376. Department of Conservation Forests and Lands Victoria.

Walsh, N.G., Barley, R.H., Gullan, P.K. (1986) The alpine vegetation of Victoria, excluding the Bogong High Plains region. Muelleria 6, 265-292.

Walsh, N.G. and McDougall, K. (2002) *Calotis pubescens* (Asteraceae), change in rank and notes on its distribution and ecology. Muelleria 16, 43-45.

Walsh, N.G., and McDougall K.L. (2004) Progress in the recovery of treeless subalpine vegetation in Kosciuszko National Park after the 2003 fires. Cunninghamia 8, 439-452.

Walter M. and Broome L. (1998) Snow as a factor in animal hibernation and dormancy. pp. 165-191 In: K. Green. (ed.) Snow: a natural history; an uncertain future, Australian Alps Liaison Committee, Canberra.

Walter, M.J. and Hone, J. (2003) The comparison of three aerial survey techniques to estimate the abundance of wild horses in the Australian Alps. Wildlife Society Bulletin 31, 1138-1149.

Wapstra, E., Swain, R., Jones, S.M. and O'Reilly, J. (1999) Geographic and annual variation in reproductive cycles in the Tasmanian spotted snow skink, *Niveoscincus ocellatus* (Squamata : Scincidae). Australian Journal of Zoology 47, 539-550.

Wardlaw I. F. (1998) Plant activity beneath the snow. pp 113-124 In: K. Green (ed) Snow: A natural history; an uncertain future, Australian Alps Liason Committee, Canberra.

Wardlaw, I. F., Moncur, M. W. and Totterdell, C. J. (1989) The growth and development of *Caltha introloba* F. Muell. I. The pattern and control of flowering. Australian Journal of Botany 37, 275-289.

Wardlaw, I. F., Moncur, M. W. and Totterdell, C. J. (1989) The growth and development of *Caltha introloba* F. Muell. II. The regulation of germination, growth and photosynthesis by temperature. *Australian Journal of Botany* 37, 291-303.

Wearne, L.J. and Morgan J.W. (2004) Community-level changes in Australian subalpine vegetation following invasion by the non-native shrub *Cytisus scoparius*. *Journal of Vegetation Science* 15, 595-604.

Wearne, L.J. and Morgan, J.W. (2001) Floristic composition and variability of subalpine grasslands in the Mt Hotham region, north-eastern Victoria. *Australian Journal of Botany* 49, 721-734.

Wearne, L.J. and Morgan, J.W. (2001) Recent forest encroachment into subalpine grasslands near Mount Hotham, Victoria, Australia. *Arctic, Antarctic And Alpine Research* 33, 369-377.

Wearne, L.J. and Morgan, J.W. (2006) Shrub invasion into subalpine vegetation: implications for the restoration of the native ecosystem. *Plant Ecology* 183, 361-376.

Welch, H.E. (1963) *Aphimermis bogongae* sp. nov. and *Hexameris cavicola* sp. nov. from Australian bogong moth *Agrotis infusa* (Boisd.) with a review of the genus *Amphimermis* Kaburaki and Immura, 1932 (Nematoda: Mermithidae). *Parasitology* 53, 55-62.

Wellman P. (1982) The southeastern highlands: a geological and environmental history from 100 million years ago to the present. *Victorian Naturalist* 99, 110-120.

Wellman, P. (1987) Eastern Highlands of Australia; their uplift and erosion, Bureau of Mineral Resources *Journal of Australian Geology and Geophysics* 10, 277-286.

Western, A., Rutherford, I., Sirawardena, L, Lawrence, R.E., Ghadirian, P., Coates, F. and White, M. (2009) The geography and hydrology of high country peatlands in Victoria Part 2. The influence of peatlands on catchment hydrology. Technical Report 174, Arthur Rylah Institute for Environmental Research, Melbourne

Whetton P.H., Haylock M.R. and Galloway R.W. (1996) Climate change and snow-cover duration in the Australian Alps. *Climatic Change* 32, 447-479.

Whetton P.H. (1998) Climate change impacts on the spatial extent of snow-cover in the Australian Alps. pp. 195-206 In: K. Green. (ed.) Snow: a natural history; an uncertain future, Australian Alps Liaison Committee, Canberra.

Whinam, J., Barmuta, L.A. and Chilcott, N. (2001) Floristic description and environmental relationships of Tasmanian Sphagnum communities and their conservation management. Australian Journal of Botany 49, 673-685.

Whinam, J., Cannell, E.J., Kirkpatrick, J.B. and Comfort, M. (1994) Studies on the potential impact of recreational horseriding on some alpine environments of the Central Plateau, Tasmania Journal of Environmental Management.40, 103-117.

Whinam, J. and Chilcott, N. (2002) Floristic description and environmental relationships of Sphagnum communities in NSW and the ACT and their conservation management. Cunninghamia 7, 463-500.

Whinam J., Chilcott N. and Morgan J.W. (2003) Floristic composition and environmental relationships of Sphagnum-dominated communities in Victoria. Cunninghamia 8, 162-174.

Whinam, J., Eberhard, S. Kirkpatrick, J. and Moscal, T. (1989) Ecology and Conservation of Tasmanian Sphagnum peatlands. Tasmanian Conservation Trust, Hobart. pp107.

Whinam, J. and Hope, G.S. (eds.). (2005) The peatlands of the Australasian region. pp. 397-434 in G.M. Steiner, (ed.), Moore - von Sibirien bis Feuerland - Mires - from Siberia to Tierra del Fuego. Biologiezentrum der Oberoesterreichischen Landesmuseen Neue Serie 35, Linz.

Whinam, J., Hope, G.S., Adam, P., Clarkson B., Alspach, P., and Buxton, R. (2003) Sphagnum peatlands of Australasia: the resource, its utilisation and management. Wetlands Ecology and Management 11, 37-49

Whinam, J., Hope, G.S., Good, R. and Wright, G. (2010) Five years of post-fire monitoring of the recovery of Sphagnum shrub bogs in the ACT and NSW, Australia. Terra Australis. 32, 363-379

Whinam, J. and Kirkpatrick, J. B. (1994) The Mount Wellington string bog, Tasmania. Papers and Proceedings of the Royal Society of Tasmania, 128, 63-68.

Whinam, J. and Kirkpatrick, J.B. (1995) Successional sequences in two Tasmanian valley Sphagnum peatlands. *Journal of Vegetation Science* 6, 675-682.

Williams, J.M. (1980) Crystal Bog, Mount Buffalo: a palaeoecological study of a subalpine peat deposit, Monash Publications in Geography No. 8. Melbourne, Monash University.

Williams, N.S.G., Hahs, A.K. and Morgan, J.W. (2008) A dispersal-constrained habitat suitability model for predicting invasion of alpine vegetation. *Ecological Applications* 18, 347-359.

Williams, R.J. (1987) Patterns of air temperature and accumulation of snow in subalpine heathlands and grasslands on the Bogong High Plains, Victoria. *Australian Journal of Ecology* 12, 153-163.

Williams, R.J. (1990) Cattle grazing within subalpine heathland and grassland communities on the Bogong High Plains: disturbance, regeneration and the shrub-grass balance. *Proceedings of the Ecological Society of Australia* 16, 255-265.

Williams, R.J. (1990) Growth of subalpine shrubs and snowgrass following a rare occurrence of frost and drought in south-eastern Australia. *Arctic and Alpine Research* 22, 412-422.

Williams, R.J. (1992). Gap dynamics in subalpine heathland and grassland vegetation in south-eastern Australia. *Journal of Ecology* 80, 343-352.

Williams, R.J. (2003) Does alpine grazing reduce blazing? *Victorian Naturalist* 120, 197-200.

Williams, R.J., and Ashton, D.H. (1987) Effects of disturbance and grazing by cattle on the dynamics of heathland and grassland communities on the Bogong High Plains, Victoria. *Australian Journal of Botany* 35, 413-431.

Williams, R.J., and Ashton, D.H. (1987) The composition, structure and distribution of heathland and grassland communities in the subalpine tract of the Bogong High Plains, Victoria. *Australian Journal of Ecology* 12, 57-71.

Williams, R.J., and Ashton, D.H. (1988) Cyclical patterns of regeneration in subalpine heathland communities on the Bogong High Plains, Victoria. *Australian Journal of Botany* 36, 605-619.

Williams R.J. and Bradstock R.A. (2008) Large fires and biodiversity in landscapes: diversity or disaster? *International Journal of Wildland Fire* 17 (Issue 6; Special Issue), 688-822.

Williams, R.J. and Costin, A.B. (1994). Alpine and subalpine vegetation. pp. 467-500. In: R.H. Groves (ed.) *Australian Vegetation 2nd Edn.* Cambridge University Press, Melbourne.

Williams, R.J., McDougall, K.L., Wahren, C-H, Mansergh, I.M., Rosengren, N.J. and Papst W.A. (2006) Alpine Landscapes. pp 557 – 572 In: P. Attiwill and B. Wilson (eds.) *Ecology: An Australian Perspective.* Oxford University Press.

Williams, R.J., and Wahren, C-H. (2005) Potential impacts of global climate change on vegetation in Australian alpine landscapes: Climate change, landuse, vegetation dynamics and biodiversity conservation. pp 401-408 In: H.M. Reasoner, H. Bugmann and U. Huber (eds.) *Global Change and Mountain Regions: State of Knowledge Overview.* Kluwer; Dordrecht, The Netherlands.

Williams, R.J., Wahren, C-H., Bradstock, R.A. and Muller, W.J. (2006) Does alpine grazing reduce blazing? A landscape test of a widely-held hypothesis. *Austral Ecology* 31, 925-936.

Williams, R.J., Wahren, C-H, Tolsma, A.D., Sanecki, G.M., Papst, W.A., Myers, B.A., McDougall, K.L., Heinze, D.A., Green, K. (2008) Large fires in Australian alpine landscapes: their part in the historical fire regime and their impacts on alpine biodiversity. *International Journal of Wildland Fire* 17, 793–808.

Williams, W.D., Walker, K.F. and Brand, G.W. (1970) Chemical composition of some inland surface waters and lake deposits of New South Wales. *Australian Journal of Marine and Freshwater Research* 21, 103-116.

Wilson, S.D. (1993) Competition and resource availability in heath and grassland in the Snowy Mountains of Australia. *Journal of Ecology* 81, 445-451.

Wilson, S.D. (1994) The contribution of grazing to plant diversity in alpine grassland and heath. *Australian Journal of Ecology* 19, 137-140.

Wimbush, D.J. (1969) Studies of the pied currawong, *Strepera graculina*, in the Snowy Mountains. *Emu* 69, 72-80.

Wimbush, D.J. (1980) Vegetation. In: A. Turner (ed.) *The Conservation Status of Kosciusko National Park.* NPWS New South Wales, Sydney.

Wimbush, D.J. and Costin, A.B. (1979) Trends in vegetation at Kosciusko. *Australian Journal of Botany* 27, 741-871.

Wimbush, D.J., and Costin, A.B. (1979) Trends in vegetation at Kosciusko. II. Subalpine range transects, 1959-1978. *Australian Journal of Botany* 27, 789-831.

Wimbush, D.J., and Costin, A.B. (1979) Trends in vegetation at Kosciusko. III. Alpine range transects, 1959-1978. *Australian Journal of Botany* 27, 833-871.

Wimbush, D.J. and Costin, A.B. (1983) Trends in drainage characteristics in the subalpine zone at Kosciusko. *Proceedings of the Ecological Society of Australia* 12, 143-154.

Wimbush, D.J. and Forrester, R.I. (1988) Effects of rabbit grazing and fire on a subalpine environment. II Tree vegetation *Australian Journal of Botany* 36, 287-298.

Wood, T.G. (1971) The effects of soil fauna on the decomposition of Eucalyptus litter in the Snowy Mountains, Australia. IV Colloquium *Pedobiologiae*. C.R. 4eme Coll. Int. Zool. Sol. 1970, I.N.R.A., Paris, pp 349-360.

Wood, T.G. (1974) The distribution of earthworms (Megascolecidae) in relation to soils, vegetation and altitude on the slopes of Mt. Kosciusko, Australia. *Journal of Animal Ecology* 43, 87-105.

Woodruff, D.S. (1975) Morphological and geographic variation of *Pseudophryne corroboree* (Anura : Leptodactylidae). *Records of the Australian Museum* 30, 99-130.

Worboys, G.L. (1996) The Australian Alps National Parks and protected area management, *Parks, Vol 6 No 1, IUCN, Gland* pp 33-40

Worboys, G.L. (2003) A Brief Report on the 2003 Australian Alps Bushfires, *Mountain Research and Development* 23, 294-295

Worboys, G.L. and Good, R.B. (2011) *Caring for Our Australian Alps Catchments: Summary Report for Policy Makers, Department of Climate Change and Energy Efficiency, Canberra*

Worboys, G.L., Good, R.B. and Spate, A.P. (2011) *Caring for Our Australian Alps Catchments: A Climate Change Action Strategy for the Australian Alps to Conserve the Natural Condition of the Catchments and to Help Minimize Threats*



to High Quality Water Yields, Australian Alps Liaison Committee, Department of Climate Change and Energy Efficiency, Canberra

Worboys, G.L., Mackay, J., Spate, A.P. and Good, R.B. (1993) Protected Area Management in the Australian Alps, A Case Study: Kosciusko National Park. pp. 50-67 In: Hamilton, L.S., Bauer, D.P. and Takeuchi, H.F. (eds.) Parks, Peaks and People, East-West Center, Hawaii,

Worboys, G and Pickering, C.M. (2002) Managing mountain ecotourism at Kosciuszko. Proceedings of the Fourth Conference on the Protected Areas of East Asia. IUCN World Commission on Protected Areas in East Asia Conference 'Benefits Beyond Boundaries in East Asia' in Taipei, Taiwan, March 18-23 2002 pp. 145-178. E2.

Worboys, G and Pickering, C.M. (2002) Managing the Kosciuszko Alpine Area: Conservation Milestones and Future Challenges. Cooperative Research Centre for Sustainable Tourism, Griffith University, Gold Coast. 70 pp. ISBN 1 920704 03 5.

Worboys, G.L. and Pickering, C.M. (2003) Management of tourism in the Kosciusko alpine area. pp. 123-136 In: Celebrating Mountains: Proceeding of an International Year of the Mountains Conference. Australian Alps Liaison Committee, Canberra. November 2002.

Worthy, M. (2006) Infrequent, high magnitude erosion events in the Cotter River catchment, Namadgi National Park. pp 105-110 In: K. McCue, S. Lenz and S. Freidrich (eds.), Caring for Namadgi Science and People. National Parks Association ACT, Canberra.

Zylstra, P. (2006) Fire History Of The Australian Alps. Prehistory to 2003. Australian Alps Liaison Committee.

See also:

<http://www.australialps.environment.gov.au/publications/index.html>